

Partner: SunBriteTV
Model: RS232



GENERAL INFORMATION

SIMPLWINDOWS NAME:	SunBriteTV RS232 Demo
CATEGORY:	TV
VERSION:	1.0
SUMMARY:	This module controls a SunBriteTV via RS232
GENERAL NOTES:	
CRESTRON HARDWARE REQUIRED:	3 Series processor is required.
SETUP OF CRESTRON HARDWARE:	
VENDOR FIRMWARE:	
VENDOR SETUP:	None
CABLE DIAGRAM:	None

CONTROL:

POWER TOGGLE	D	Toggles Power
Power On	D	Powers on
Power Off	D	Powers off
Input 10	D	Changes to input 10
Input 1	D	Changes to Input 1
Input 2	D	Changes to Input 2
Input 3	D	Changes to Input 3
Input 4	D	Changes to Input 4
Input 5	D	Changes to Input 5
Input 6	D	Changes to Input 6
Input 7	D	Changes to Input 7
Input 8	D	Changes to Input 8

Partner: SunBriteTV
Model: RS232



Input 9	D	Changes to Input 9
Mute	D	Mute
Volume Up	D	Volume Up
Volume Down	D	Volume down
Channel Up	D	Channel Up
Channel Down	D	Channel Down
Digit 0	D	Keypad number 0
Digit 1	D	Keypad number 1
Digit 2	D	Keypad number 2
Digit 3	D	Keypad number 3
Digit 4	D	Keypad number 4
Digit 5	D	Keypad number 5
Digit 6	D	Keypad number 6
Digit 7	D	Keypad number 7
Digit 8	D	Keypad number 8
Digit 9	D	Keypad number 9
Dash	D	Dash
Channel return	D	Channel return
Source toggle	D	Source toggle
Aspect	D	Aspect
Enter	D	Enter
Info	D	Info
Cc	D	Cc
Sleep	D	Sleep

Partner: SunBriteTV
Model: RS232



Picture	D	Picture
Sound	D	Sound
Menu	D	Menu
Up arrow	D	Up arrow
Down Arrow	D	Down Arrow
Left Arrow	D	Left arrow
Right Arrow	D	Right Arrow
Picture Mode 1	D	Picture mode 1
Picture mode 2	D	Picture mode 2
Picture mode 3	D	Picture mode 3
Picture mode 4	D	Picture mode 4

PARAMETER:

TESTING:

OPS USED FOR TESTING:	RMC3 1.010.0060
SIMPL WINDOWS USED FOR TESTING:	4.02.65
DEVICE DB USED FOR TESTING:	65.05.003.00
CRES DB USED FOR TESTING:	51.05.007.00
SYMBOL LIBRARY USED FOR TESTING:	944

Partner: SunBriteTV
Model: RS232



SAMPLE PROGRAM:	SunBriteTV RS232 Demo
REVISION HISTORY:	V1.0 – Original Release