

C-USB3/AA

USB 3.0 A (M) to A (M) Cable



Kramer's C-USB3/AA is a SuperSpeed USB 3.0 Type-A male to Type-A male cable used to connect computers and peripherals, such as printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 4.8Gbps

FEATURES

USB 3.0 Type-A Male to Type-A Male
Transfer Rates up to 4.8Gbps - 10x the capability of USB 2.0
Foil & Overall Braid Provide Maximum Protection Against EMI/RFI
Molded Strain Relief
Backward Compatibility - USB Specifications 1.0, 1.1 and 2.0
RoHS Compliant



TECHNICAL SPECIFICATIONS

OVERALL TYPE: USB 3.0 SuperSpeed

MAX. DATA RATE: 4.8 Gbps

PHYSICAL CONNECTOR A: USB 3.0 type-A male

CONNECTOR B: USB 3.0 type-A male

CONNECTOR PLATING: Nickel

CONDUCTORS: 28/24AWG

CABLE SHIELD TYPE: Aluminum-Mylar foil with braid

OVERALL SHEATH DIAMETER: 5.5mm

OUTER SHEATH COLOR: Blue

REGULATORY STANDARDS: 2011/65/EU



CONFIGURATIONS

| C-USB3/AA-3 | USB 3.0 A (M) to A (M) Cable |
|-------------|------------------------------|
| C-USB3/AA-6 | USB 3.0 A (M) to A (M) Cable |