

2016 Triad Product Catalog



Order Information

Because Triad offers over 80 products in an unlimited array of finishes, all Triad products are built to order.

We have developed a flexible manufacturing system which provides our custom entertainment professionals with a broad array of high performance architectural audio solutions when they need them.

Call for an exact delivery quote on your projects.

New Construction Brackets are available for immediate delivery.

We have representatives available to take your orders Monday thru Friday 7:30 am to 5:00 pm Pacific Coast Time.

CALL US!	+1.503.256.2600
TOLL FREE	1.800.666.6316
FAX US	+1.503.256.5966
E-MAIL	orders@triadspeakers.com
WEB SITE	www.triadspeakers.com



Triad Factory, Portland, OR

Triad Speakers, Incorporated
15835 NE Cameron Blvd., Portland, Oregon 97230

vol27, v5 February 2016



Location

Triad Speakers Intro 2

- Soundbars 3
- Micro 7
- Mini 9
- Bronze 11
- Silver 15
- Gold 21
- Platinum 27
- OmniSub 29
- DSP Subs 31
- FlexSubs 35
- DSP Sub Separates 37
- Accessories 39
- Custom Speakers 39
- Speaker Finish Options 39
- InWall Grill/Frames 41
- Custom Paint 42

Rounds 43

- OpenRounds 43
- SealedRounds 45
- R-Series 47

CinemaReference 49

- Systems 49

Dolby Atmos 51

- Systems 51

Outdoor Speakers 53

- OD25 & OD26 53

- Contact Info BC

DOLBY.ATMOS



TriadUniqueSolutions

When designing a home theater many issues arise. Among the most critical are the loudspeakers and their ability to reproduce music with emotion and accuracy and the capacity to produce clear and distinct dialog. Many speakers do one or the other but few can do both.

Triad has always designed speakers to be as accurate as possible across the entire musical spectrum. What that means is that you get music as it was originally recorded and dialog that is crisp and precise. To accomplish that, Triad only uses the best quality components from around the globe. In addition they handcraft every loudspeaker cabinet, one-by-one in their state of the art woodworking facility in Portland, Oregon.



Triad cabinets are intricately braced in a way that eliminates distortion and unwanted cabinet acoustics. One look inside and you will see why Triad speakers are noted for their peerless ability to deliver outstanding musical and theatrical performances.

With all the attention paid to the inside of the cabinet, is it any wonder that Triad offers hundreds of furniture quality finishes to accentuate the beauty and character of your speakers. Whether it's exotic rosewoods or rich cherry, Triad can accommodate you. Further, Triad's craftspeople can flawlessly custom color match your décor or finish that you can provide samples of.

Triad is the ultimate example of form and function.

SoundbarsInfo

Triad's new Nano speakers, starting with the OnWall Nano LCR 3.0, are designed specifically to integrate with today's new, ultra thin panel televisions. These flatter TVs with tiny internal speakers have compromised their audio quality, and that challenged us to engineer new speakers that would provide better sound, but still maintain the sleek look of these video displays. We also noticed that competing speaker companies have designed flat speakers that don't provide full sound or much in the way of output. Triad's Nano, Micro & Mini series puts the emphasis on real performance in a compact package.



All Nano, Micro & Mini series speakers are designed and manufactured to order in our modern factory in Portland, Oregon. In addition to custom paint matching and black gloss (Micro's) paint, we also offer optional (at extra cost) custom sizing of the OnWall speakers to match the length of your speaker to your video display. Because we build to order, your speaker is truly customized for you.

Nano, Micro & Mini series speakers may be used for routine TV audio, or with a subwoofer and surround speakers may be added for a full home theater experience. Built in America, we know of no other speaker at this price that offers more performance and customizable features.

OnWall Nano & Micro Soundbars



OnWall Nano LCR 3.0

Front
2-way
Acoustic Suspension

(3) 1" Fabric domes

(6) 2" Proprietary woofers

190Hz – 20kHz (+/-3dB)
(F3 of 140Hz at 66" length)
75 - 125 watts
6 ohms
84dB (2.83v, 1m)

44" x 3 5/16" x 1 1/16"
(111.7 x 8.47 x 4.21 cm)

0.0 lbs. (0kg)
0.0 lbs. (0kg)

Black Metal

Paint
Custom Lengths Available
Easy Mount Bracket
TV Mount Bracket

This fully damped and braced, aluminum enclosure is Triad's smallest and thinnest, at a little over one inch thick, the soundbar speaker is built to order in America.

The OnWall Nano LCR 3.0 is designed to pair with your ultra thin flat panel TV. A huge upgrade over the internal speakers, offering clarity and higher output, and at a very modest price. When used with an Omni or Mini subwoofer, they greatly enhance your television experience.



OnWall Micro Sat 1.0

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome

(1) 3" Polycone woofers

128Hz – 20kHz (+/-3dB)
25 - 75 watts
8 ohms
85dB (2.83v, 1m)

4 x 15 x 2 5/16"
(10.1 x 38.1 x 5.8 cm)

3.3 lbs. (1.5kg)
5.3 lbs. (2.4kg)

Black Cloth

Paint or Gloss Paint
Custom Lengths Available

Even the smallest and lowest-priced Triad OnWall speaker is built to order in America.

The OnWall MicroSat is a huge upgrade over the speakers that came with your flat panel TV, offering clarity and higher output, and at a very modest price. When used with a modest receiver, they greatly enhance your television experience.

OnWall Micro & Mini Soundbars



OnWall Micro Sat 3.0

Front
2-way
Acoustic Suspension

(3) 1" Fabric dome

(3) 3" Polycone woofers

128Hz – 20kHz (+/-3dB)
25 - 75 watts
8 ohms
85dB (2.83v, 1m)

32 1/16" x 4" x 2 5/16"
(81.4 x 10.1 x 5.8 cm)

6 lbs. (2.7kg)
11 lbs. (5kg)

Black Cloth

Paint or Gloss Paint
Custom Lengths Available

Triad's new compact 3-in-1 front speaker is designed for use with shallow flat-panel televisions.

Despite its small profile (only 2-5/16" w/bracket), this value-priced speaker delivers big sound. When used without a subwoofer, sound is full and clear, with healthy output.

And augmenting the Micro Sat 3.0 with one of our OmniSubs or many InWall or InCeiling subs delivers great home theater performance.



OnWall Micro LCR 1.0

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome

(2) 3" Polycone woofers

128Hz – 20kHz (+/-3dB)
25 - 75 watts
4 ohms
89dB (2.83v, 1m)

5" x 18" x 2 5/16"
(12.7 x 45.9 x 5.8 cm)

4.3 lbs. (1.9kg)
5.5 lbs. (2.5kg)

Black Cloth

Paint or Gloss Paint
Custom Lengths Available

The new OnWall Micro LCR was designed for use with today's shallow flat panel televisions.

Unlike standard TV speakers and even most aftermarket speakers of this genre, the OnWall Micro LCR offers excellent performance, with high output and clarity.

The OnWall Micro LCR can be used vertically, flanking a television for a left or right speaker; or horizontally, above or below the video display, for use as a center channel speaker. Custom sizing is available to match your TV dimensions.



OnWall Micro LCR 3.0

Front
2-way
Acoustic Suspension

(3) 1" Fabric dome

(6) 3" Polycone woofers

128Hz – 20kHz (+/-3dB)
25 - 75 watts
4 ohms
89dB (2.83v, 1m)

40 1/2" x 6" x 2 5/16"
(102.9 x 15.2 x 5.8 cm)

10.8 lbs. (4.9kg)
12.5 lbs. (5.7kg)

Black Cloth

Paint or Gloss Paint
Custom Lengths Available

Triad's newest 3-in-1 onwall speaker is designed for use with shallow flat-panel televisions.

The OnWall Micro LCR 3.0 is the big brother of the OnWall MicroSat 3.0, offering almost 5 dB more output.

When used without a subwoofer, sound is full and clear, with robust output. And augmenting the MicroSat 3.0 with one of our OmniSubs or many InWall or InCeiling subs makes for great home theater performance.



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Installed Frequency Response

Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight
Actual Product
Shipping

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts
Finish Available
Extras

Prices

Finishes

Product Information



Custom Widths

All Soundbars are available in widths up to a maximum of 82" inches for a nominal fee.

Triad Soundbars



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts

Finish Available

Extras

Prices

Finishes



OnWall Mini Sat 3.0

Front
2-way
Acoustic Suspension

(3) 1" Cloth dome
(3) 4" Fiber blended cone woofer

90Hz – 20kHz (+/-3dB)
25 - 75 watts
8 ohms
86dB (2.83v, 1m)

44 1/4" x 6" x 2 7/8"
(112.4 x 15.2 x 7.3 cm)

18 lbs. (8.2kg)
22.5 lbs. (10.2kg)

Curved AcoustiPerf™
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



OnWall Mini LCR 1.0

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome
(2) 4" Fiber blended cone woofer

90Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87.5dB (2.83v, 1m)

6" x 21 1/2" x 3 5/8"
(15.2 x 54.6 x 9.2 cm)

10.2 lbs. (4.6kg)
11.5 lbs. (5.2kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



OnWall Mini LCR 2.0

Front
2-way
Acoustic Suspension

(2) 1" Fabric dome
(4) 4" Fiber blended cone woofer

90Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87.5dB (2.83v, 1m)

50" x 6" x 3 5/8"
(127 x 15.2 x 9.2 cm)

16.5 lbs. (7.5kg)
23 lbs. (10.4kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes

OnWallMiniSoundbars

OnWallMiniSoundbars



OnWall Mini LCR 1.0 SE

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome
(2) 4" Proprietary reed/paper

100Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87dB (2.83v, 1m)

6" x 21 1/2" x 3 5/8"
(15.2 x 54.6 x 9.2 cm)

10.2 lbs. (4.6kg)
11.5 lbs. (5.2kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



OnWall Mini LCR 2.0 SE

Front
2-way
Acoustic Suspension

(2) 1" Fabric dome
(4) 4" Proprietary reed/paper

100Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87dB (2.83v, 1m)

50" x 6" x 3 5/8"
(127 x 15.2 x 9.2 cm)

18.2 lbs. (8.2kg)
25 lbs. (11.3kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



OnWall Mini LCR 3.0

Front
2-way
Acoustic Suspension

(3) 1" Fabric dome
(6) 4" Fiber blended cone woofer

100Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87dB (2.83v, 1m)

54" x 6" x 3 5/8"
(137.1 x 15.2 x 9.2 cm)

25 lbs. (11.3kg)
29 lbs. (13.2kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



OnWall Mini LCR 3.0 SE

Front
2-way
Acoustic Suspension

(3) 1" Fabric dome
(6) 4" Proprietary reed/paper

100Hz – 20kHz (+/-3dB)
25 - 150 watts
4 ohms
87dB (2.83v, 1m)

54" x 6" x 3 5/8"
(137.1 x 15.2 x 9.2 cm)

25 lbs. (11.3kg)
29 lbs. (13.2kg)

Curved AcoustiPerf™
Back (2) 1/4" - 20
Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Paint or Gloss Paint/Veneer
Custom Lengths Available
Easy Mount Bracket

Prices
Finishes



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts

Finish Available

Extras

Prices

Finishes

Custom Widths

All Soundbars are available in widths up to a maximum of 82" inches for a nominal fee.



The new OnWall Mini Sat3.0 integrates three Mini Sat's into one handsome enclosure, for onwall use with flat panel video displays. Featuring a handsome AcoustiPerf grill, the speaker can be ordered in black, white or it can be custom paint matched at Triad to any color you desire.

The 3.0 can be used full-range in smaller venues, or with a sub-woofer to create a most impressive home theater experience in larger rooms.

The perfect solution for use with wall-mounted plasma or LCD televisions, providing excellent sound quality in a slim, handsome package. The OnWall Mini LCR can be ordered in any color you choose. To further blend into your decor, custom sizing is available at an extra cost to perfectly match your video display.

The Mini LCR is a great choice for home theaters when used with one or more Triad OmniSubs. Great Triad sound without big, bulky boxes!

The new OnWall Mini LCR 2.0 features two of our Mini LCRs integrated into an attractive, shallow onwall package. Omitting the center channel from the OnWall Mini LCR 3.0 allows the new 2.0 to work with larger television displays. An added bonus is reduced depth, for better integration with today's new shallow onwall televisions.

To further blend into your decor, custom sizing is available at an extra cost.

The OnWall Mini LCR 1.0 SE "Special Edition" is an attractive, shallow onwall package with superior performance. The OnWall Mini LCR 1.0 SE can be ordered in any color you choose. To further blend into your decor, custom sizing is available at an extra cost to perfectly match your video display.

The SE uses high-performance drivers in an extensively braced and inert cabinet, for audiophile sound and is a great choice for home theaters.

The OnWall Mini LCR 2.0 SE "Special Edition" features two of our Mini LCRs integrated into an attractive, shallow onwall package with superior performance. Unlike most onwall "plasma" speakers, the SE uses high-performance drivers in an extensively braced and inert cabinet, for audiophile sound.

To further blend into your decor, custom sizing is available at an extra cost, as is optional custom-matched paint or real wood veneer.

The OnWall Mini LCR3.0 integrates three Mini LCRs into one handsome enclosure, for onwall use with flat panel video displays. Featuring a handsome AcoustiPerf grill, the speaker can be ordered in black, white or silver; or it can be custom paint matched at Triad to any color you desire.

The 3.0 can be used full-range in smaller venues, or with a sub-woofer to create a most impressive home theater experience in larger rooms.





The OnWall Mini LCR 3.0 SE "Special Edition" features the same basic form, only with superior performance.

Unlike most 3-in-one LCRs, the SE uses high-performance drivers for great imaging, bass, and output. Behind the handsome AcoustiPerf grill, there are three separate audiophile speaker systems, combined into one clean package that can be part of a serious home theater.

TriadMicroSpeakers



TriadMicroSatellite&LCRSpeakers

	 Speaker Type Engineering Principle Enclosure Type	 OnWall Micro Sat 1.0 Front 2-way Acoustic Suspension	 OnWall Micro LCR 1.0 Front 2-way Acoustic Suspension	 Speaker Type Engineering Principle Enclosure Type
Drive Units Tweeter Midrange Woofer		(1) 1" Fabric dome (1) 3" Polycone woofers	(1) 1" Fabric dome (2) 3" Polycone woofers	Drive Units Tweeter Midrange Woofer
Product Features Frequency Response Recommended Amp Power Nominal Impedance Sensitivity		128Hz – 20kHz (+/-3dB) 25 - 75 watts 8 ohms 85dB (2.83v, 1m)	128Hz – 20kHz (+/-3dB) 25 - 75 watts 4 ohms 89dB (2.83v, 1m)	Product Features Frequency Response Recommended Amp Power Nominal Impedance Sensitivity
Dimensions Enclosure (W x H x D)		4 x 15 x 2 5/16" (10.1 x 38.1 x 5.8 cm)	5" x 18 1/16" x 2 5/16" (12.7 x 45.9 x 5.8 cm)	Dimensions Enclosure (W x H x D)
Weight Actual Product Shipping		3.3 lbs. (1.5kg) 5.3 lbs. (2.4kg)	4.3 lbs. (1.9kg) 5.5 lbs. (2.5kg)	Weight Actual Product Shipping
Miscellaneous Metal Grill Cloth Grill Mounting Inserts		Black Cloth	Black Cloth	Miscellaneous Metal Grill Cloth Grill Mounting Inserts
Finish Available Extras		Paint or Gloss Paint Custom Lengths Available Easy Mount Bracket	Paint or Gloss Paint Custom Lengths Available Easy Mount Bracket	Finish Available Extras
Prices Finishes				Prices Finishes
Product Information		Even the smallest and lowest-priced Triad OnWall speaker is built to order in America. The OnWall MicroSat is a huge upgrade over the speakers that came with your flat panel TV, offering clarity and higher output, and at a very modest price. When used with a modest receiver, they greatly enhance your television experience.	The new OnWall Micro LCR was designed for use with today's shallow flat panel televisions. Unlike standard TV speakers and even most aftermarket speakers of this genre, the OnWall Micro LCR offers excellent performance, with high output and clarity. The OnWall Micro LCR can be used vertically, flanking a television for a left or right speaker, or horizontally, above or below the video display, for use as a center channel speaker. Custom sizing is available to match your TV dimensions.	Product Information



Custom Installation by Storch Entertainment Systems, Winter Park, FL




TriadMiniSpeakers



Custom Widths

** OnWall Mini Sat & LCR, products Available in widths up to a maximum of 82" inches for an nominal upcharge
 Sizes standard to 66" - an upcharge of \$175
 Sizes 66" to 82" - an upcharge of \$350

TriadMiniSatelliteSpeakers

		
		
Speaker Type	Front	Front
Engineering Principle	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension
Drive Units		
Tweeter	(1) 1" Fabric dome	(1) 1" Fabric dome
Midrange		
Woofers	(1) 4" Fiber blended cone woofer	(1) 4" Fiber blended cone woofer
Product Features		
Frequency Response	100Hz - 20kHz (+/-3dB)	90Hz - 20kHz (+/-3dB)
Recommended Amp Power	25 - 75 watts	25 - 75 watts
Nominal Impedance	8 ohms	8 ohms
Sensitivity	84dB (2.83v, 1m)	86dB (2.83v, 1m)
Dimensions		
Enclosure (W x H x D)	5 1/4" x 8 7/8" x 5 1/2" (13.3 x 22.6 x 14 cm)	7 3/16" x 10 3/4" x 3 15/16" (18.3 x 27.3 x 9.9 cm)
Weight		
Actual Product	5.4 lbs. (2.5kg)	7 lbs. (3.2kg)
Shipping	8 lbs. (3.6kg)	8 lbs. (3.6kg)
Miscellaneous		
Metal Grill		Flush AcoustiPerf™
Cloth Grill	Floating Acoustic Black Cloth	
Mounting Inserts	Bottom and back (2) 3/8"-16	
InWall Hole Cutout Size		7 5/16" x 10 7/8" 8 1/2" x 12" - Wide 7 7/8" x 11 7/16" - Narrow
InWall Grill/Frame Size (OD)		Size A
NCB		Paint
Finish Available	Paint or Veneer	
Extras		
Prices		
Finishes		

Product Information

This very compact speaker is designed for use with a Triad Sub to complete an attractive, great sounding full range speaker system. Suitable for two-channel music systems as well as small room home theater applications and is available in an unlimited array of real wood veneer and custom paint finishes.

When used with a subwoofer as part of a sub/sat system, the InRoom Mini Satellite produces sound rivaling much larger and imposing speakers.

For smaller venues where the requirements are for excellent sound and no visible speakers, nothing works better than Triad InWall Mini/4 Satellites. Multiple speakers can be used for a high performance yet intimate home theater system, perfect for a bedroom or den.

Part of a big sounding system, the InWall Minis small footprint can disappear into your environment and an Acoustimesh grill that can be custom paint matched to your décor at Triad for a modest cost.

TriadMiniLCRSpeakers

				
				
Speaker Type	Front	Front	Front	Front
Engineering Principle	2-way	2-way	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Drive Units				
Tweeter	(1) 1" Fabric dome	(1) 1" Fabric dome	(1) 1" Fabric dome	(1) 1" Fabric dome
Midrange				
Woofers	(2) 4" Fiber blended cone woofer	(2) 4" Fiber blended cone woofer	(2) 4" Fiber blended cone woofer	(2) 4" Fiber blended cone woofer
Product Features				
Frequency Response	90Hz - 20kHz (+/-3dB)	100Hz - 20kHz (+/-3dB)	95Hz - 20kHz (+/-3dB)	95Hz - 20kHz (+/-3dB)
Recommended Amp Power	25 - 150 watts	25 - 150 watts	25 - 150 watts	25 - 150 watts
Nominal Impedance	4 ohms	4 ohms	4 ohms	4 ohms
Sensitivity	87.5dB (2.83v, 1m)	87.5dB (2.83v, 1m)	89dB (2.83v, 1m)	88dB (2.83v, 1m)
Dimensions				
Enclosure (W x H x D)	6" x 21 1/2" x 3 5/8" (15.2 x 54.6 x 9.2 cm)	5 5/8" x 12 1/2" x 5 13/16" (14.3 x 31.7 x 15.1 cm)	7 3/16" x 13 1/2" x 3 15/16" (18.3 x 34.3 x 9.9 cm)	10 3/4" x 10 3/4" x 7 1/2" (27.3 x 27.3 x 19.1 cm)
Weight				
Actual Product	10.2 lbs. (4.6kg)	8.5 lbs. (3.8kg)	7.7 lbs. (3.5kg)	13.2 lbs. (6kg)
Shipping	11.5 lbs. (5.2kg)	11 lbs. (5kg)	12 lbs. (5.4kg)	18 lbs. (8.2kg)
Miscellaneous				
Metal Grill	Curved AcoustiPerf™	Curved AcoustiPerf™	Flush AcoustiPerf™	Flush AcoustiPerf™
Cloth Grill				
Mounting Inserts	Back (2) 1/4"-20	Bottom (1) 3/8"-16		
InWall Hole Cutout Size			7 5/16" x 13 5/8" 8 1/2" x 14 13/16" - Wide 7 7/8" x 14 1/4" - Narrow	10 7/8" x 10 7/8" 12" x 12" - Wide 11 7/16" x 11 7/16" - Narrow
InWall Grill/Frame Size (OD)			Size J	Size S
NCB			Paint	Paint
Finish Available	Paint or Gloss Paint/Veneer	Paint or Veneer		
Extras	Custom Lengths Available			
Prices				
Finishes				

Product Information

The perfect solution for use with wall-mounted plasma or LCD televisions, providing excellent sound quality in a slim, handsome package. The OnWall Mini LCR can be ordered in any color you choose. To further blend into your decor, custom sizing is available at extra cost to perfectly match your video display.

The Mini LCR is a great choice for home theaters when used with one or more Triad OmniSubs. Great Triad sound without big, bulky boxes!

The InRoom Mini LCR sets new standards of quality in this popular price range. The compact design allows it to be used horizontally for center channel applications, as well.

The InRoom, InWall, and InCeiling versions all feature a paintable Acoustimesh grill, sealed, engineered enclosures, and identical performance. Choose the appropriate version for the best results regardless of placement.

The InWall Mini LCR sets new standards of quality in this popular price range. The Mini LCR is engineered to sound the same as it's InRoom, OnWall or InCeiling counterparts and creates a superb custom home theater system in a den, bedroom, or office.

The InCeiling Mini LCR with its engineered sealed enclosure coupled with a unique angled baffle and a compact footprint, this speaker performs without intruding upon the room and perfectly blending into your environment.

This speaker is a great addition for a compact Dolby Atmos ceiling system.

TriadBronzeSpeakers



TriadBronzeSatelliteSpeakers



InRoom Bronze Satellite

Speaker Type Front
Engineering Principle 2-way
Enclosure Type Acoustic Suspension

Drive Units

Tweeter (1) 1" Fabric dome
Midrange (1) 5 1/4" Paper/fiber blend
Woofer

Product Features

Frequency Response 95Hz - 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 8 ohms
Sensitivity 84dB (2.83v, 1m)

Dimensions

Enclosure (W x H x D) 6 9/16" x 10 13/16" x 6 7/16"
(16.6 x 27.4 x 16.3 cm)

Weight

Actual Product 8 lbs. (3.6kg)
Shipping 10 lbs. (4.5kg)

Miscellaneous

Metal Grill Floating Acoustic Black Cloth
Cloth Grill Bottom and back (2) 3/8"-16
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
InWall Grill/Frame Size (OD)
NCB
Finish Available Paint or Veneer
Extras

Prices

Finishes

Product Information

The Bronze Satellite is the perfect choice where there is little room for speakers. It features a small footprint, big sound, and can be used on a shelf, in a cabinet, or on a stand. And is available in an unlimited array of real wood veneer and custom paint finishes.

Designed to provide extended bass response for desired fullness at background listening levels. In an intimate setting where full range sound is desired and small size is mandated, the InRoom Bronze Sat is the right choice.

TriadBronzeSatelliteSpeakers



InWall Bronze/4 Satellite

Front 2-way
Acoustic Suspension



InCeiling Bronze/8 Satellite

Front 2-way
Acoustic Suspension



InCorner Bronze Satellite

Front 2-way
Acoustic Suspension



Speaker Type Front
Engineering Principle 2-way
Enclosure Type Acoustic Suspension

Drive Units

Tweeter (1) 1" Fabric dome
Midrange (1) 5 1/4" Paper/fiber blend
Woofer

Product Features

Frequency Response 80Hz - 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 8 ohms
Sensitivity 85dB (2.83v, 1m)

Dimensions

Enclosure (W x H x D)

Weight

Actual Product 6 lbs. (2.7kg)
Shipping 8.2 lbs. (3.7kg)

Miscellaneous

Metal Grill AcoustiPerf™
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
InWall Grill/Frame Size (OD)
NCB
Finish Available Paint
Extras

Prices

Finishes

Product Information

The InWall Bronze/4 Satellite is the perfect choice for distributed audio. It features a small footprint, big sound, and the handsome AcoustiPerf™ grill can be custom paint matched at Triad to match your décor; at a modest additional charge.

A fully engineered and braced enclosure yields uniform results in all applications, without annoying bleeding through walls into adjacent rooms.

The InCeiling Bronze/8 Satellite is the perfect choice for distributed audio. It features a small footprint, big sound, and the handsome Acoustimesh grill can be custom paint matched at Triad to match your décor.

A fully engineered and braced enclosure yields uniform results in all applications, without annoying bleeding through walls into adjacent rooms and is an exceptional value and provides superior performance for your walls or ceilings.

The InCorner Bronze Satellite was designed to deliver quality full-range sound where placement or construction constraints mandate the speaker mount in a corner. Triad offers custom paint matching so the speaker virtually disappears, blending in with the wall color.

Uses include distributed audio, surround channel applications, or any situation where freestanding or inwall speakers can't be used.

TriadBronzeSpeakers



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill

Cloth Grill

Mounting Inserts

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

NCB

Finish Available

Extras

Prices

Finishes

Product Information



Custom Installation by Architectural Electronics, Inc., Winter Park, FL

TriadBronzeLCRSpeakers



InRoom Bronze LCR



InRoom Bronze Center



InWall Bronze/4 LCR

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
50 - 200 watts
4 ohms
89dB (2.83v, 1m)

7 9/16" x 15 1/2" x 9 3/8"
(19.2 x 39.4 x 23.8 cm)

19.8 lbs. (9kg)
23 lbs. (9.7kg)

Curved AcoustiPerf™
Bottom and back (2) 3/8"-16

Paint or Veneer

Prices
Finishes

The InRoom Bronze LCRs redefines the category of affordable, high performance speakers.

Mating three InRoom Bronze LCRs with a pair or more of our Bronze Surrounds and one or more of our Bronze SlimSubs will allow you to create a dazzling home theater.

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
50 - 200 watts
4 ohms
89dB (2.83v, 1m)

15 1/2" x 7 9/16" x 9 3/8"
(39.4 x 19.2 x 23.8 cm)

19.8 lbs. (9kg)
23 lbs. (9.7kg)

Curved AcoustiPerf™
Bottom (1) 3/8"-16

Paint or Veneer

The InRoom Bronze Center's design allows it to be used horizontally for center channel applications and a perfect match for our Dolby Atmos InRoom Bronze LR-H speakers.

Mating it with a pair of InRoom Bronze LCRs along with a pair or more of our Bronze Surrounds and one or more of our Bronze SlimSubs will allow you to create a dazzling home theater.

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
50 - 200 watts
4 ohms
90dB (2.83v, 1m)

10 3/4" x 19" x 3 15/16"
(27.3 x 48.2 x 9.9 cm)

13.1 lbs. (00kg)
19 lbs. (7.7kg)

Flush AcoustiPerf™
10 7/8" x 19 1/8"
12" x 20 5/16" - Wide
11 7/16" x 19 11/16" - Narrow
Size C
Paint

The InWall Bronze/4 LCR redefines the category of affordable, high performance inwall home theater speakers. It is designed only 4" in depth for standard inwall installation, and it features a fully engineered sealed enclosure for predictable sound and freedom from bleed-through into adjacent rooms.

The InWall Bronze/4 LCR features an attractive acoustically transparent AcoustiPerf™ grill that can be paint matched by Triad to complement your décor.

TriadBronzeLCR&SurroundSpeakers



InCeiling Bronze/8 LCR



OnWall Bronze LCR



OnWall Bronze Surround



InWall Bronze/4 Surround

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
50 - 200 watts
4 ohms
90dB (2.83v, 1m)

13 1/2" x 13 1/2" x 8"
(34.3 x 34.3 x 20.3 cm)

18 lbs. (8.2kg)
24 lbs. (10.9kg)

Flush AcoustiPerf™
13 5/8" x 13 5/8"
14 13/16" x 14 13/16" - Wide
14 1/4" x 14 1/4" - Narrow
Size G
Paint

A completely enclosed and fully engineered speaker enclosure designed to go where others won't in the ceiling. Where 8" of ceiling depth is available, this angled baffle designed speaker performs at the same high level as it's InRoom version.

In a high-output speaker, a real cabinet not only ensures predictable results, it offers superior isolation. The InCeiling Bronze/8 LCR provides predictable sound without sonic compromise, perfect for a ceiling Atmos theater.

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
50 - 200 watts
4 ohms
89dB (2.83v, 1m)

10" x 28" x 4"
(25.4 x 71.1 x 10.1 cm)

16.5 lbs. (7.5kg)
25 lbs. (11.3kg)

Curved AcoustiPerf™
Angled AcoustiPerf™
Paint or Veneer
Easy Mount Bracket

The Bronze LCR combines clean contemporary design with optimized vertical dispersion. Combine it with a flat panel display for a wonderful entry level theater.

The compact, vertically aligned mid/tweeter/mid array provides outstanding clarity over a wide listening window. Can be ordered in an unlimited array of real wood veneer and custom paint finishes

Available in custom lengths, please inquire.

Surround
Available in Dipole or Bipole
Acoustic Suspension

(2) 4" Broad dispersion full range
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
84dB (2.83v, 1m) measured at null

12 9/16" x 13 1/4" x 3 9/16"
(31.9 x 33.6 x 9 cm)

11 lbs. (5kg)
14 lbs. (6.4kg)

Angled AcoustiPerf™
13 1/8" x 13 13/16" x 4 1/16"
Paint

The OnWall Bronze Surround was designed to provide an enveloping surround field when used with better A/V receivers in moderately sized rooms, with both analog and digital sources.

This compact surround speaker is available in either bipole or dipole configurations, and can be custom painted by Triad to match your environment for truly invisible sound. The OnWall Bronze Surround completes the perfect home theater and music system for the enthusiast on a budget.

Surround
Available in Dipole or Bipole
Acoustic Suspension

(2) 4" Broad dispersion Full Range
(2) 5 1/4" Paper/fiber blend

80Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
84dB (2.83v, 1m) measured at null

12" x 12" x 3 15/16"
(30.5 x 30.5 x 10 cm)

11 lbs. (4.9kg)
14 lbs. (6.4kg)

Flush AcoustiPerf™
12 1/8" x 12 1/8"
13 5/16" x 13 5/16" - Wide
12 11/16" x 12 11/16" - Narrow
Size M
Paint

The InWall Bronze/4 Surround was designed to provide an enveloping surround field when used with better A/V receivers in moderately sized rooms, with both analog and digital sources.

Despite it's moderate price, the InWall Bronze/4 Surround features a premium flush AcoustiPerf™ grill that can be custom painted by Triad to match your décor by Triad.

Due to it's shallow profile, it can be mounted into a standard 4" wall depth, or into a ceiling.



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill

Cloth Grill

Mounting Inserts

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

NCB

Finish Available

Extras

Prices

Finishes

Product Information

TriadSilverSpeakers

TriadSilverSatelliteSpeakers

			
	InRoom Silver Satellite	InWall Silver/4 Satellite	InCeiling Silver/6 Satellite
Speaker Type	Front	Front	Front
Engineering Principle	2-way	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Drive Units			
Tweeter	(1) 1" Fabric dome	(1) 1" Fabric dome	(1) 1" Fabric dome
Midrange			
Woofers	(1) 6 1/2" Paper/fiber blend	(1) 6 1/2" Paper/fiber blend	(1) 6 1/2" Paper/fiber blend
Product Features			
Frequency Response	80Hz - 20kHz (+/-3dB)	88Hz - 20kHz (+/-3dB)	88Hz - 20kHz (+/-3dB)
Recommended Amp Power	25 - 125 watts	25 - 125 watts	25 - 125 watts
Nominal Impedance	8 ohms	8 ohms	8 ohms
Sensitivity	85dB (2.83v, 1m)	86dB (2.83v, 1m)	86dB (2.83v, 1m)
Dimensions			
Enclosure (W x H x D)	7 15/16" x 12 3/4" x 7 1/4" (20.2 x 32.4 x 18.4 cm)	10 3/4" x 16 3/8" x 3 15/16" (27.3 x 41.5 x 9.9 cm)	13 1/2" x 13 1/2" x 5 15/16" (34.2 x 34.2 x 15 cm)
Weight			
Actual Product	14 lbs. (6.4kg)	13 lbs. (5.9kg)	18 lbs. (8.2kg)
Shipping	16 lbs. (7.3kg)	15 lbs. (7.3kg)	20 lbs. (9.1kg)
Miscellaneous			
Metal Grill		Flush AcoustiPerf™	Flush AcoustiPerf™
Cloth Grill	Floating Acoustic Black Cloth		
Mounting Inserts	Bottom and back (2) 3/8"-16		
InWall Hole Cutout Size		10 5/8" x 16 1/2" 12 1/16" x 17 11/16" - Wide 11 1/2" x 17 1/16" - Narrow	13 5/8" x 13 5/8" 14 13/16" x 14 13/16" - Wide 14 1/4" x 14 1/4" - Narrow
InWall Grill/Frame Size (OD)		Size F Paint	Size G Paint DropCeiling kit available
NCB			
Finish Available	Paint or Veneer		
Extras			
Prices			
Finishes			

Product Information

This compact speaker is the perfect choice for full-range distributed audio or as a primary listening speaker in a moderately sized room with extended bass response for fullness at background listening levels, even without a subwoofer. It can be used on a shelf, in a bookcase, or on its own optional pedestal.

The InRoom Silver Satellite can also be ordered in an unlimited array of custom veneer and paint finishes to blend into your environment.




The InWall Silver/4 Satellite is the perfect choice for distributed audio or as a primary listening speaker in a moderately sized room.

It features a small footprint with big sound designed to provide extended bass response for rich fullness at background listening levels and the handsome AcoustiPerf™ grill that can be custom paint matched at Triad to match your décor; at a modest additional charge.

The InCeiling Silver/6 Satellite is the perfect solution in applications where front speakers must mount in the ceiling and price is a consideration.

A unique recessed angled baffle directs sound at the listener through a handsome flush AcoustiPerf™ grill that can be custom paint matched at Triad to match your ceiling. Three can be configured in the front for custom home theater in a bedroom, den, or family room.

TriadSilverOmniSESpeakers

			
	InWall Silver/4 Omni SE	InCeiling Silver/8 Omni SE	
Speaker Type	Front	Front	Speaker Type
Engineering Principle	2-way	2-way	Engineering Principle
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Enclosure Type
Drive Units			Drive Units
Tweeter	(1) 1" Fabric dome neodymium	(1) 1" Fabric dome	Tweeter
Midrange			Midrange
Woofers	(1) 5 1/4" Fiber impregnated paper	(1) 5 1/4" Fiber impregnated paper	Woofers
Product Features			Product Features
Frequency Response	80Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)	Frequency Response
Recommended Amp Power	50 - 150 watts	50 - 150 watts	Recommended Amp Power
Nominal Impedance	8 ohms	8 ohms	Nominal Impedance
Sensitivity	85dB (2.83v, 1m)	85dB (2.83v, 1m)	Sensitivity
Dimensions			Dimensions
Enclosure (W x H x D)	8 3/16" x 11 15/16" x 3 15/16" (20.8 x 30.3 x 9.9 cm)	10 3/4" x 10 3/4" x 7 1/2" (27.3 x 27.3 x 19 cm)	Enclosure (W x H x D)
Weight			Weight
Actual Product	8 lbs. (3.6kg)	11 lbs. (5kg)	Actual Product
Shipping	12 lbs. (5.4kg)	15 lbs. (6.8kg)	Shipping
Miscellaneous			Miscellaneous
Metal Grill	Flush AcoustiPerf™	Flush AcoustiPerf™	Metal Grill
Cloth Grill			Cloth Grill
Mounting Inserts			Mounting Inserts
InWall Hole Cutout Size	8 5/16" x 12 1/16" 9 1/2" x 13" - Wide 8 15/16" x 12 7/16" - Narrow	10 7/8" x 10 7/8" 12" x 12" - Wide 11 7/16" x 11 7/16" - Narrow	InWall Hole Cutout Size
InWall Grill/Frame Size (OD)	Size B Paint	Size S Paint DropCeiling kit available	InWall Grill/Frame Size (OD)
NCB			NCB
Finish Available			Finish Available
Extras			Extras
Prices			Prices
Finishes			Finishes

Product Information

The InWall Silver/4 Omni SE is a premium inwall speaker featuring a fully engineered, sealed, and braced enclosure for uniform results and no bleeding into adjacent rooms.

The SE version features exceptional drivers and crossovers for articulate, crystal-clear treble, and good sensitivity and power handling. Order your Omni SEs with the grill and frame color matched to your décor.

The InCeiling Silver/8 Omni SE is a premium ceiling speaker featuring a fully engineered, sealed, and braced enclosure for uniform results and no bleeding through adjacent floors.









A 45-degree angled baffle directs the sound toward the listener through a flush AcoustiPerf™ grill. You can order your Omni SEs with the grill and frame color matched at our factory to the sample you provide, for seamless integration into your décor.



TriadSilverSpeakers

TriadSilverLCRSpeakers

TriadSilverSurroundsSpeakers

							
							
Speaker Type	Front	Front	Front	Front	Surround	Surround	Speaker Type
Engineering Principle	2-way	2-way	2-way	2-way	Available in Dipole or Bipole	Available in Dipole or Bipole	Engineering Principle
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Enclosure Type
Drive Units							Drive Units
Tweeter	(1) 1" Fabric dome neodymium	(1) 1" Fabric dome neodymium	(1) 1" Fabric dome neodymium	(1) 1" Fabric dome neodymium	(2) 4" Broad dispersion full range	(2) 4" Broad dispersion full range	Tweeter
Midrange					(1) 6 1/2" Paper/fiber blend	(1) 6 1/2" Paper/fiber blend	Midrange
Woofer	(2) 6 1/2" Paper/fiber blend	(2) 6 1/2" Paper/fiber blend	(2) 6 1/2" Paper/fiber blend	(2) 6 1/2" Paper/fiber blend			Woofer
Product Features							Product Features
Frequency Response	80Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)	75Hz - 20kHz (+/-3dB)	75Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)	Frequency Response
Recommended Amp Power	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 150 watts	50 - 150 watts	Recommended Amp Power
Nominal Impedance	4 ohms	4 ohms	4 ohms	4 ohms	6 ohms	6 ohms	Nominal Impedance
Sensitivity	91dB (2.83v, 1m)	91dB (2.83v, 1m)	91dB (2.83v, 1m)	91dB (2.83v, 1m)	85dB (2.83v, 1m) measured at null	85dB (2.83v, 1m) measured at null	Sensitivity
Dimensions							Dimensions
Enclosure (W x H x D)	8 3/4" x 18 7/8" x 9 5/8" (22.2 x 47.9 x 24.5 cm)	18 3/4" x 8 5/8" x 9 5/8" (47.7 x 22.0 x 24.5 cm)	13 1/2" x 26" x 3 15/16" (34.3 x 66 x 9.9 cm)	10 3/4" x 19" x 5 15/16" (27.3 x 48.3 x 15 cm)	13 1/2" x 13 1/2" x 4 1/8" (34.3 x 34.3 x 10.5 cm)	13 1/2" x 13 1/2" x 3 15/16" (34.3 x 34.3 x 9.9 cm)	Enclosure (W x H x D)
Weight							Weight
Actual Product	23 lbs. (10.4kg)	23 lbs. (10.4kg)	22.2 lbs. (9.9kg)	11.2 lbs. (5kg)	15 lbs. (6.8kg)	13 lbs. (5.9kg)	Actual Product
Shipping	28 lbs. (13.2kg)	28 lbs. (13.2kg)	26 lbs. (11.8kg)	26 lbs. (11.7kg)	16.5 lbs. (7.5kg)	16 lbs. (7.3kg)	Shipping
Miscellaneous							Miscellaneous
Metal Grill	Curved AcoustiPerf™	Curved AcoustiPerf™	Flush AcoustiPerf™	Flush AcoustiPerf™	Angled AcoustiPerf™	Flush AcoustiPerf™	Metal Grill
Mounting Inserts	Bottom and back (2) 3/8"-16	Bottom and back (2) 3/8"-16					Mounting Inserts
InWall Hole Cutout Size			13 5/8" x 26 1/8"	10 7/8" x 19 1/8"		13 5/8" x 13 5/8"	InWall Hole Cutout Size
InWall Grill/Frame Size (OD)			14 13/16" x 27 5/16" - Wide 14 1/4" x 26 3/4" - Narrow	12" x 20 5/16" - Wide 11 7/16" x 19 11/16" - Narrow	14 3/16" x 14 15/16" x 4 3/8"	14 13/16" x 14 13/16" - Wide 14 1/4" x 14 1/4" - Narrow	InWall Grill/Frame Size (OD)
NCB			Size P	Size C		Size G	NCB
Finish Available	Paint or Veneer	Paint or Veneer	Paint	Paint	Paint	Paint	Finish Available
Extras							Extras
Prices							Prices
Finishes							Finishes
Product Information	<p>The striking InRoom Silver LCR combines compact design with optimized vertical dispersion. This front speaker is from the versatile Silver Home Cinema family, which features surrounds, front speakers, and subwoofers for nearly all custom applications.</p> <p>Choose the InRoom Silver LCR, for accurate pans across the front soundstage, regardless of where the listener is seated.</p>	<p>The InRoom Silver Center's design allows it to be used horizontally for center channel applications and a perfect match for our Dolby Atmos InRoom Silver LR-H speakers.</p> <p>Mating it with a pair of InRoom Silver LCRs along with a pair or more of our Silver Surrounds and one or more of our Silver Subs will allow you to create a dazzling home theater.</p>	<p>The striking InWall Silver/4 LCR combines optimized vertical dispersion with a fully engineered speaker enclosure for superior sound isolation in a 2 x 4" studded wall system.</p> <p>This front speaker is from the versatile Silver Home Cinema family, which features surrounds, front speakers, and subwoofers for nearly all custom applications.</p>	<p>The philosophy of a completely enclosed and fully engineered inwall speaker is epitomized in the InWall Silver/6 LCR. Where 6" of wall depth is available, this speaker performs at the same high level as it's InRoom version.</p> <p>In a high-output speaker, a real cabinet not only ensures predictable results, it offers superior sound isolation and provides predictable sound without sonic or aesthetic compromise.</p>	<p>The OnWall Silver Surround, a member of the Triad Silver Home Cinema family, provides full-frequency reproduction of analog and digital surround information, while blending into the environment. Three premium drivers are used in this innovative dipole to yield high output and a satisfying, enveloping surround field.</p> <p>The OnWall Silver Surround can be used in arrays of multiple pair in larger rooms, and can be either wall mounted or ceiling mounted to suit the situation.</p>	<p>The InWall Silver/4 Surround provides a multitude of Unique Solutions for discrete, creative placement of surround speakers</p> <p>This 3-driver dipole features a flush grill, which can be ordered in any custom color you specify. With its compact dimensions, the surround can be mounted in walls or in ceiling-mount applications, regardless of the direction the ceiling joists run. In larger rooms, multiple pairs of Silver/4 Surrounds may be used. It is truly a custom installation dream.</p>	Product Information

TriadSilverMiniMonitorSpeakers

			
	InRoom Silver MiniMonitor	InWall Silver/4 MiniMonitor	InCeiling Silver/6 MiniMonitor
Speaker Type	Front	Front	Front
Engineering Principle	2-way	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Drive Units			
Tweeter	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome
Midrange			
Woofer	(1) 5 1/4" Proprietary Scan-Speak	(1) 5 1/4" Proprietary Scan-Speak	(1) 5 1/4" Proprietary Scan-Speak
Product Features			
Frequency Response	87Hz - 20kHz (+/-3dB)	87Hz - 20kHz (+/-3dB)	87Hz - 20kHz (+/-3dB)
Recommended Amp Power	25 - 125 watts	25 - 125 watts	25 - 125 watts
Nominal Impedance	4 ohms	4 ohms	4 ohms
Sensitivity	87dB (2.83v, 1m)	87dB (2.83v, 1m)	87dB (2.83v, 1m)
Dimensions			
Enclosure (W x H x D)	7 5/16" x 10 3/4" x 8 13/16" (18.6 x 27.3 x 22.4 cm)	8 3/16" x 11 15/16" x 3 15/16" (21.1 x 30.3 x 9.9 cm)	13 1/2" x 13 1/2" x 5 15/16" (34.2 x 34.2 x 15 cm)
Weight			
Actual Product	16.75 lbs. (7.1kg)	11 lbs. (00kg)	15.5 lbs. (7kg)
Shipping	21 lbs. (9.5kg)	14 lbs. (6.3kg)	23 lbs. (10.4kg)
Miscellaneous			
Metal Grill	Floating Acoustic Black Cloth	Flush AcoustiPerf™	Flush AcoustiPerf™
Cloth Grill	Bottom (1) 3/8" - 16		
Mounting Inserts		8 5/16" x 12 1/16"	13 5/8" x 13 5/8"
InWall Hole Cutout Size		9 1/2" x 13" - Wide	14 13/16" x 14 13/16" - Wide
InWall Grill/Frame Size (OD)		8 15/16" x 12 7/16" - Narrow	14 1/4" x 14 1/4" - Narrow
NCB		Size B	Size G
Finish Available	Paint or Veneer	Paint	Paint
Extras			
Prices			
Finishes			

Product Information

Superb performance in a very compact package with the new InRoom Silver MiniMonitor. This premium full range speaker is perfect for incorporating exquisite sound into smaller venues, and can be used in a bookcase, on a shelf, on a stand, or with Triad's elegant pedestals.

To further blend in, Triad offers a full array of paint and veneer finishes, including custom matching.




InWall Silver/4 MiniMonitor uses premium components in a fully engineered and braced enclosure for superb, predictable sound. In smaller venues, it can be used as a full range solution, or add a Triad Sub in small home theater applications that mandate a small footprint but with the very best audio quality.

Triad also offers an InRoom version and a clever InCeiling version, all with virtually the same high performance for any of your discriminating audio applications.

The InCeiling Silver/6 MiniMonitor was designed for full range audiophile sound in smaller venues, or for use with a Triad Sub in smaller high-end home theaters. The fully engineered and braced enclosure has an angled baffle that directs sound at the listener through a flush grill that can be custom paint matched to blend into your décor.

For applications that mandate a very small yet superb sounding ceiling speaker, Triad's Silver/6 MiniMonitor is the only choice.

TriadSilverMonitorSpeakers

				
	InRoom Silver Monitor	InWall Silver/4 Monitor	InWall Silver/6 Monitor	InCeiling Silver/6 Monitor
Speaker Type	Front	Front	Front	Front
Engineering Principle	2-way	2-way	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Drive Units				
Tweeter	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome
Midrange				
Woofer	(2) 5 1/4" Proprietary Scan-Speak	(2) 5 1/4" Proprietary Scan-Speak	(2) 5 1/4" Proprietary Scan-Speak	(2) 5 1/4" Proprietary Scan-Speak
Product Features				
Frequency Response	70Hz - 20kHz (+/-3dB)	70Hz - 20kHz (+/-3dB)	70Hz - 20kHz (+/-3dB)	70Hz - 20kHz (+/-3dB)
Recommended Amp Power	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 200 watts
Nominal Impedance	4 ohms	4 ohms	4 ohms	4 ohms
Sensitivity	92.5dB (2.83v, 1m)	92.5dB (2.83v, 1m)	92.5dB (2.83v, 1m)	91dB (2.83v, 1m)
Dimensions				
Enclosure (W x H x D)	7 5/16" x 16 1/4" x 9" (18.5 x 41.2 x 22.8 cm)	10 3/4" x 19" x 3 15/16" (27.3 x 48.3 x 9.9 cm)	8 3/16" x 19" x 5 15/16" (20.8 x 48.3 x 15 cm)	19" x 10 3/4" x 5 15/16" (48.3 x 27.3 x 15 cm)
Weight				
Actual Product	28 lbs. (00kg)	16.5 lbs. (7.5kg)	10.2 lbs. (5kg)	20 lbs. (00kg)
Shipping	34 lbs. (15.4kg)	25 lbs. (11.3kg)	26 lbs. (11.7kg)	26 lbs. (11.8kg)
Miscellaneous				
Metal Grill	Floating Acoustic Black Cloth	Flush AcoustiPerf™	Flush AcoustiPerf™	Flush AcoustiPerf™
Cloth Grill	Bottom (1) 3/8" - 16			
Mounting Inserts		10 7/8" x 19 1/8"	8 5/16" x 19 1/8"	10 7/8" x 19 1/8"
InWall Hole Cutout Size		12" x 20 5/16" - Wide	9 1/2" x 20 5/16" - Wide	12" x 20 5/16" - Wide
InWall Grill/Frame Size (OD)		11 7/16" x 19 11/16" - Narrow	8 7/8" x 19 11/16" - Narrow	11 7/16" x 19 11/16" - Narrow
NCB		Size C	Size K	Size C
Finish Available	Paint or Veneer	Paint	Paint	Paint
Extras				
Prices				
Finishes				

Product Information

The Silver Monitor series exemplifies Triad's commitment to high-end custom sound, with four versions; one InRoom, one InCeiling and two InWall. All models feature ground breaking proprietary enclosure technologies, as well as the finest drivers available, for unsurpassed performance.

Depending upon the venue, the InRoom Silver Monitor is well suited to critical two-channel listening or, with its 92.5 dB sensitivity, it is just as appropriate for demanding home theater applications.

The InWall Silver/4 Monitor is well suited to critical two-channel listening or demanding home theater applications. It can be used as a full-range monitor; a high-end point-source surround, or with any of the Triad InRoom or InWall Subs. In all applications, it effortlessly delivers startling clarity and dynamics.

Where there is a 4" wall stud depth, the InWall Silver/4 Monitor installs flush using Triad's elegant AcoustiPerf™ grill.

The InWall Silver/6 Monitor exemplifies Triad's commitment to high-end custom sound.

Where there is a 6" wall stud depth, the InWall Silver/6 Monitor installs flush using Triad's elegant AcoustiPerf™ grill. Triad can custom match the grill paint to any color, giving you superb yet invisible sound reproduction.

For primary room stereo or high end home theater, the InCeiling Silver/6 Monitor complements the InRoom Silver Monitor and the two InWall Silver Monitors.

Where the best sound is desired and there is no wall space and speakers cannot intrude on stands, the InCeiling is the ideal solution. An angled baffle directs the front channel sound to the listener through an elegant flush AcoustiPerf™ grill that can be ordered custom paint matched to your décor.

TriadGoldSpeakers



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill

Cloth Grill

Mounting Inserts

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

NCB

Finish Available

Extras

Prices

Finishes

Product Information



Custom Installation by Architectural Electronics, Inc., Winter Park, FL

TriadGoldOmniSESpeakers



InWall Gold/4 Omni SE

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(1) 6 1/2" Fiber impregnated paper

78Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
86dB (2.83v, 1m)

10 3/4" x 16 3/8" x 3 15/16"
(27.3 x 41.5 x 9.9 cm)

13 lbs. (5.9kg)
15 lbs. (6.8kg)

Flush AcoustiPerf™

10 5/8" x 16 1/2"
12 1/16" x 17 11/16" - Wide
11 1/2" x 17 1/16" - Narrow

Size F
Paint

Prices
Finishes

The InWall Gold/4 Omni SE was designed to provide the best possible full-range sound with the smallest footprint. A premium in-wall speaker featuring exceptional drivers and crossovers for articulate, crystal-clear treble and a fully engineered, sealed, and braced enclosure for uniform results and no bleeding into adjacent rooms.

Your speaker grill and frame can be color matched to a sample you provide, for seamless integration into your décor.



InCeiling Gold/8 Omni SE

Front
2-way
Acoustic Suspension

(1) 1" Fabric dome neodymium
(1) 6 1/2" Fiber impregnated paper

78Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
86dB (2.83v, 1m)

13 1/2" x 13 1/2" x 8"
(34.3 x 34.3 x 20.3 cm)

17 lbs. (7.7kg)
20 lbs. (9.1kg)

Flush AcoustiPerf™

13 5/8" x 13 5/8"
14 13/16" x 14 13/16" - Wide
14 1/4" x 14 1/4" - Narrow

Size G
Paint
DropCeiling kit available

Premium drivers are used in the InCeiling Gold/8 Omni SE "Special Edition" for exceptional fidelity. A unique angled baffle directs sound at the listener through a handsome flush grill that can be custom paint matched at Triad to match your ceiling.

Two InCeiling Gold/8 Omni SEs can be used full range for invisible music listening, or three can be configured in the front for custom home theater in a bedroom, den, or family room, with amazing results.

TriadGoldLCRSpeakers



InWall Gold/6 LCR

Front
3-way
Acoustic Suspension

(1) 1" Proprietary fabric dome
(1) 5 1/2" Paper/fiber blend
(2) 8 1/2" Metal cone

50Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
92dB (2.83v, 1m)

13 1/2" x 40" x 5 15/16"
(34.3 x 101.6 x 15 cm)

45 lbs. (20.4kg)
50 lbs. (22.7kg)

Flush AcoustiPerf™

13 5/8" x 40 1/8"
14 13/16" x 41 5/16" - Wide
14 1/4" x 40 11/16" - Narrow

Size T
Paint

The InWall Gold/6 LCR is uniquely capable of reproducing music as well as movies, and at robust playback levels just like its InRoom counterpart...in only 6" of wall depth!

The finely engineered and meticulously manufactured enclosure allows the listener to experience audiophile musical performance while maintaining crystal clear dialog intelligibility for cinema presentations.



InRoom Gold LCR

Front
3-way
Acoustic Suspension

(1) 1" Proprietary fabric dome
(1) 5 1/2" Paper/fiber blend
(2) 8 1/2" Metal cone

50Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
92dB (2.83v, 1m)

10 3/4" x 29" x 11 7/16"
(27.3 x 73.7 x 30.1 cm)

00 lbs. (00kg)
68 lbs. (30.8kg)

Curved AcoustiPerf™

Bottom (1) 3/8"-16 for pedestal

Paint or Veneer

The InRoom Gold LCR is uniquely capable of reproducing music as well as movies, and at robust playback levels belying its medium stature.

The finely engineered & meticulously manufactured enclosure allows the listener to experience audiophile musical performance while maintaining crystal clear dialog intelligibility for cinema presentations.



InRoom Gold Center

Front
3-way
Acoustic Suspension

(1) 1" Proprietary fabric dome
(1) 5 1/2" Paper/fiber blend
(2) 8 1/2" Metal cone

50Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
92dB (2.83v, 1m)

29" x 10 3/4" x 11 7/8"
(73.7 x 27.3 x 30.1 cm)

00 lbs. (00kg)
68 lbs. (30.8kg)

Curved AcoustiPerf™

Bottom (1) 3/8"-16

Paint or Veneer

The InRoom Gold Center is the perfect center channel *Unique Solution*. This premium speaker uses the same drivers as the Gold LCR for consistent timbre and accurate pans.

The speaker is designed to maintain proper dispersion and clarity regardless of whether the speaker is above or below the video display.



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill

Cloth Grill

Mounting Inserts

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

NCB

Finish Available

Extras

Prices

Finishes

Product Information

TriadGoldSpeakers

TriadGoldMiniMonitorSpeakers

			
	InRoom Gold MiniMonitor	InWall Gold/6 MiniMonitor	InCeiling Gold/8 MiniMonitor
Speaker Type	Front	Front	Front
Engineering Principle	2-way	2-way	2-way
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Drive Units			
Tweeter	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome
Midrange	(1) 6 1/4" Proprietary Scan-Speak	(1) 6 1/4" Proprietary Scan-Speak	(1) 6 1/4" Proprietary Scan-Speak
Woofer			
Product Features			
Frequency Response	55Hz - 20kHz (+/-3dB)	50Hz - 20kHz (+/-3dB)	50Hz - 20kHz (+/-3dB)
Recommended Amp Power	50 - 150 watts	50 - 150 watts	50 - 150 watts
Nominal Impedance	4 ohms	4 ohms	4 ohms
Sensitivity	86dB (2.83v, 1m)	87dB (2.83v, 1m)	87dB (2.83v, 1m)
Dimensions			
Enclosure (W x H x D)	8 3/4" x 13 1/2" x 11 3/8" (22.2 x 34.3 x 28.9 cm)	10 3/4" x 19" x 5 15/16" (27.3 x 48.3 x 15 cm)	13 1/2" x 13 1/2" x 8" (34.3 x 34.3 x 20 cm)
Weight			
Actual Product	24 lbs. (10.8kg)	25 lbs. (11.3kg)	25 lbs. (11.3kg)
Shipping	27 lbs. (12.2kg)	28 lbs. (12.7kg)	28 lbs. (12.7kg)
Miscellaneous			
Metal Grill	Floating Acoustic Black Cloth	Flush AcoustiPerf™	Flush AcoustiPerf™
Cloth Grill	Bottom (1) 3/8" - 16		
Mounting Inserts		10 7/8" x 19 1/8"	13 5/8" x 13 5/8"
InWall Hole Cutout Size		12" x 20 5/16" - Wide	14 13/16" x 14 13/16" - Wide
InWall Grill/Frame Size (OD)		11 7/16" x 19 11/16" - Narrow	14 1/4" x 14 1/4" - Narrow
NCB	Paint or Veneer	Size C	Size G
Finish Available		Paint	Paint
Extras			
Prices			
Finishes			

Product Information



Gold MiniMonitors are appropriate for a wide variety of custom applications where a compact full-range upscale solution is needed. They feature a single 6.25" Scan-Speak low-loss, linear suspension, sliced cone woofer/midrange driver, and a 1" fabric dome tweeter. Premium components are used throughout.

Each model, InRoom and InWalls, can be used for high-end two-channel systems as well as with subwoofers in premium home theater applications.




The InWall Gold/6 MiniMonitors are appropriate for a wide variety of custom applications where a compact full-range upscale solution is needed. It features a single 6.25" Scan-Speak low-loss, linear suspension, sliced cone woofer/midrange driver, and a 1" fabric dome tweeter. Premium components are used throughout.

It can be used for high-end two-channel systems as well as with subwoofers in premium home theater applications.

Triad's newest addition to its premium line of ceiling speakers was derived from the superb InRoom and InWall Gold MiniMonitors. In applications where a small-footprint, high-quality, full-range ceiling speaker is required, the InCeiling Gold/8 MiniMonitor is a best choice.

It uses components found in much more expensive speakers, and can be utilized for audiophile two-channel or home theater, with or without a subwoofer.

TriadGoldMonitorSpeakers

			
	InRoom Gold Monitor	InWall Gold/6 Monitor	
Speaker Type	Front	Front	Speaker Type
Engineering Principle	2-way	2-way	Engineering Principle
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Enclosure Type
Drive Units			Drive Units
Tweeter	(1) 1" Proprietary Fabric dome	(1) 1" Proprietary Fabric dome	Tweeter
Midrange	(2) 6 1/4" Proprietary Scan-Speak	(2) 6 1/4" Proprietary Scan-Speak	Midrange
Woofer			Woofer
Product Features			Product Features
Frequency Response	60Hz - 30kHz (+/-3dB)	60Hz - 20kHz (+/-3dB)	Frequency Response
Recommended Amp Power	100 - 400 watts	100 - 400 watts	Recommended Amp Power
Nominal Impedance	4 ohms	4 ohms	Nominal Impedance
Sensitivity	92dB (2.83v, 1m)	92dB (2.83v, 1m)	Sensitivity
Dimensions			Dimensions
Enclosure (W x H x D)	9 7/8" x 19 3/8" x 12 5/16" (25.1 x 49.2 x 31.3 cm)	13 1/2" x 26" x 5 15/16" (34.3 x 66 x 15 cm)	Enclosure (W x H x D)
Weight			Weight
Actual Product	40 lbs. (18.1kg)	35 lbs. (15.8kg)	Actual Product
Shipping	43 lbs. (19.5kg)	39 lbs. (17.7kg)	Shipping
Miscellaneous			Miscellaneous
Metal Grill	Floating Acoustic Black Cloth	Flush AcoustiPerf™	Metal Grill
Cloth Grill	Bottom (1) 3/8" - 16		Cloth Grill
Mounting Inserts		13 5/8" x 26 1/8"	Mounting Inserts
InWall Hole Cutout Size		14 13/16" x 27 5/16" - Wide	InWall Hole Cutout Size
InWall Grill/Frame Size (OD)		14 1/4" x 26 1/4" - Narrow	InWall Grill/Frame Size (OD)
NCB	Paint or Veneer	Size P	NCB
Finish Available		Paint	Finish Available
Extras			Extras
Prices			Prices
Finishes			Finishes

Product Information

The InRoom Gold Monitor may be used full range in moderately sized rooms, or with Triad Subs in larger home theater venues where the most accurate rendering of both music and movie soundtracks is desired. Two premium quality wood cone woofers and a revolutionary new tweeter with response extending to 50 kHz ensure uncompromised reproduction.

Robust, acoustically inert cabinet to maintain pure reproduction at all playback levels.

The InWall Gold/6 Monitor may be used full-range in music systems, or it can be mated with Triad InWall Subs and InWall Surrounds for an invisible home theater system of nearly unequaled quality. For the first time, a built-in home theater speaker system gives up nothing to more intrusive and expensive freestanding speakers.

Proprietary Scan-Speak drivers, mounted in a heavy, acoustically inert enclosure are designed for 6" or more stud depth.



TriadGoldSpeakers



MultiSound

Multiple surround pairs may be used in multi channel systems for the ultimate in home theater surround sound.

TriadGoldSurroundSpeakers



OnWall Gold Surround

Speaker Type Surround
Engineering Principle Available in Dipole or Bipole
Enclosure Type Acoustic Suspension

Drive Units

Tweeter (2) 1" Fabric dome neodymium
Midrange (4) 3" Proprietary neodymium
Woofer (1) 8" Poly cone

Product Features

Frequency Response 70Hz – 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 4 ohms
Sensitivity 87dB (2.83v, 1m) measured at null

Dimensions

Enclosure (W x H x D) 13 1/2" x 26" x 4 1/8"
(34.9 x 66.4 x 10.5 cm)

Weight

Actual Product 22 lbs. (10kg)
Shipping 34 lbs. (15.4kg)

Miscellaneous

Metal Grill Angled AcustiPerf™
Cloth Grill
Mounting Inserts
OnWall Grill (W x H x D) 14 1/8" x 26 5/8" x 4 1/2"
(35.8 x 67.6 x 11.4 cm)

NCB

Finish Available Paint
Extras

Prices

Finishes

Product Information

The new OnWall Gold Surround redefines the high-end surround speaker. An impressive seven-driver compliment in a dipole array offers high power handling and high sensitivity, for prodigious output and an enormous surround field. In large rooms or in rooms requiring high output, one or two pair may be used.

Output is robust; as high as 10 dB more than conventional dipole surrounds. The handsome AcustiPerf™ grill can be ordered in any custom color you choose.

TriadGoldSurroundSpeakers



InWall Gold/4 Surround

Speaker Type Surround
Engineering Principle Available in Dipole or Bipole
Enclosure Type Acoustic Suspension

Drive Units

Tweeter (2) 1" Fabric dome neodymium
Midrange (4) 3" Proprietary neodymium
Woofer (1) 8" Poly cone

Product Features

Frequency Response 70Hz – 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 4 ohms
Sensitivity 87dB (2.83v, 1m) measured at null

Dimensions

Enclosure (W x H x D) 13 1/2" x 26" x 3 15/16"
(34.3 x 66 x 9.9 cm)

Weight

Actual Product 23 lbs. (10.4kg)
Shipping 32 lbs. (14.5g)

Miscellaneous

Metal Grill Flush AcustiPerf™
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size 13 5/8" x 26 1/8"
InWall Grill/Frame Size (OD) 14 13/16" x 27 5/16" - Wide
InWall Grill/Frame Size (OD) 14 1/4" x 26 3/4" - Narrow
Size P
Paint

Metal Grill
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
InWall Grill/Frame Size (OD)
NCB
Finish Available
Extras

Prices
Finishes

Product Information

InWall Gold/4 Surround redefines the high end surround speaker. An impressive seven-driver compliment in a dipole array offers high power handling as well as high sensitivity, for prodigious output.

Multiple pairs may be used in conjunction with Triad Gold or Platinum LCRs and Subs for the ultimate in home theater sound, with effortless reproduction of surround channels, and as much as 10 dB more output than ordinary dipole surrounds.



Custom Installation by Ambiance Systems, Clifton Park, NY



Triad Platinum Speakers

InWall LCR Speakers



InRoom Platinum LCR

Speaker Type
Engineering Principle
Enclosure Type

Front
3-way
Acoustic Suspension

Drive Units

Tweeter
Midrange
Woofer

(1) 1" Seas fabric dome/D.C.L.™
(2) 5 1/4" Proprietary Scan-Speak
(2) 10" Proprietary Scan-Speak

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

60Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
94.5dB (2.83v, 1m)

Dimensions

Enclosure (W x H x D)

12" x 39 1/2" x 16"
(30.4 x 100.3 x 40.6 cm)

Weight

Actual Product
Shipping

142 lbs. (64.4kg)
150 lbs. (68.2kg)

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
InWall Grill/Frame Size (OD)
NCB

Finish Available
Extras

Acoustic Black Cloth
Bottom (1) 3/8"-16

Paint or Veneer
Adj. Dispersion Control Lens™

Prices

Finishes

Product Information

The InRoom Platinum LCR can resolve the subtlest musical detail with effortless accuracy, but when called upon, can reproduce the most powerful movie soundtrack at theatrical levels.

Expensive proprietary drivers from Scan-Speak and Seas were chosen for their accuracy, output, and reliability. Efficiency is high at 94.5 dB. Where sound quality for both movies and music is crucial, Platinum is the only choice.



Custom Installation by Ambleside Logic, Hillsborough, CA



InRoom Platinum Center

Front
3-way
Acoustic Suspension

(1) 1" Seas fabric dome/D.C.L.™
(2) 5 1/4" Proprietary Scan-Speak
(2) 10" Proprietary Scan-Speak

60Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
94.5dB (2.83v, 1m)

33 3/4" x 19 1/2" x 13"
(85.7 x 49.5 x 33 cm)

140 lbs. (63.5kg)
150 lbs. (68.2kg)

Acoustic Black Cloth
Bottom (1) 3/8"-16

Paint or Veneer
Adj. Dispersion Control Lens™

The InRoom Platinum Center uses the same premium drivers featured in the InRoom Platinum LCR to ensure accurate pans across the front soundstage as well as incredible headroom and output.

Costly proprietary drivers from Scan-Speak and Seas were chosen for unparalleled accuracy, output, and reliability, even in the most demanding theaters.



OnWall Platinum LCR

Front
3-way
Acoustic Suspension

(1) 1" Seas fabric dome/D.C.L.™
(2) 5 1/4" Proprietary Scan-Speak
(2) 10" Proprietary Scan-Speak

60Hz - 20kHz (+/-3dB)
100 - 400 watts
4 ohms
94.5dB (2.83v, 1m)

14" x 56" x 7 3/8"
(35.5 x 142.2 x 18.7 cm)

142 lbs. (64.4kg)
150 lbs. (68.2kg)

Isolation Brackets

Paint and Acoustic Rubber
Adj. Dispersion Control Lens™

The OnWall Platinum LCR's are designed to be used behind stretched fabric wall system and use the same premium drivers featured in the InRoom Platinum LCR to ensure accurate pans across the front soundstage as well as incredible headroom and output.

Costly proprietary drivers from Scan-Speak and Seas were chosen for unparalleled accuracy, output, and reliability, even in the most demanding theaters.



OnWall Baffle Wall

Designed for the CinemaPlus LCR call for drawings and details.

59 1/16" x 90 1/8" x 12 1/2"
(151.6 x 228.9 x 31.7 cm)

Call
Call

Paint and Acoustic Rubber
Adjustable Legs



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

Enclosure (W x H x D)

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
InWall Grill/Frame Size (OD)
NCB

Finish Available
Extras

Prices

Finishes

Product Information

InWall LCR Speakers



Custom Installation by Storch Entertainment Systems, Winter Park, FL



OnWall Platinum LCR with Baffle Wall and OnWall Silver Subs

Custom Installation by Triphase Technologies, Carmel, IN



OmniSubInfo

Triad's new OmniSub series offers Triad-quality performance in a more modest price range. The three new OmniSubs offer high output and deep bass extension, full features, and in attractive, compact packages. The compact InRoom OmniSub8 uses a long-excursion 8" driver and a 200 watt Class D amplifier; the InRoom OmniSub10 uses a 10" driver and a 300 watt Class D amplifier; and the InRoom OmniSub12 uses a 12" driver and a robust 500 watt Class D amplifier.



Triad now offers nearly two dozen subwoofer solutions, to address virtually any home audio and theater application with InRoom, InWall, and InCeiling models.

The OmniSub enclosures are heavily braced and acoustically inert, a trademark of all Triad subs for almost thirty years. Class D amplifier technology generates almost no heat, and is extremely efficient, with low energy consumption, even when tasked hard. The amps provide the sound quality of traditional Class AB amplifiers.

Features include signal-sensing power-on, Volume, Crossover and Phase adjustments and both have line level and speaker level inputs. Triad's new OmniSubs set the standard for performance, features, and value.



	InRoom OmniSub8
Speaker Type Engineering Principle Enclosure Type	Subwoofer Powered Acoustic Suspension
Drive Units Woofer	(1) 8" long-excursion carbon fiber
Product Features Amplifier	Built-in 200 watt Class D amp Efficient and energy saving design Volume, Crossover & Phase adjustments Signal-sensing power-on Line level and speaker level inputs
Frequency Response	32 Hz - 300Hz (+/-1.5dB) F3 (-3dB) = 32Hz
Dimensions Enclosure (W x H x D)	11 13/16" x 13 3/8" x 11 1/4" (30 x 33.9 x 28.5 cm)
Weight Actual Product Shipping	26 lbs. (11.8kg) 30 lbs. (13.6kg)
Miscellaneous Cloth Grill	Fitted Designer Acoustic Black Cloth
Finish Available Extras	Black Textured Vinyl Front mounted panel controls Line level & speaker level inputs
Prices Finishes	

Product Information
Triad's InRoom OmniSub8 packs a wallop. In a package not much bigger than one cubic foot, it provides deep bass and surprising output for home theater or music applications. A proprietary, long-excursion 8" driver is used in conjunction with a 200 watt Class D amplifier.

Triad's OmniSubs provide excellent performance at a "value" price and come in an attractive black finish with black grill.



	InRoom OmniSub10
Speaker Type Engineering Principle Enclosure Type	Subwoofer Powered Acoustic Suspension
Drive Units Woofer	(1) 10" long-excursion carbon fiber
Product Features Amplifier	Built-in 300 watt Class D amp Efficient and energy saving design Volume, Crossover & Phase adjustments Signal-sensing power-on Line level and speaker level inputs
Frequency Response	27 Hz - 300Hz (+/-1.5dB) F3 (-3dB) = 27Hz
Dimensions Enclosure (W x H x D)	13 3/4" x 15 5/8" x 12 11/16" (34.9 x 39.6 x 32.2 cm)
Weight Actual Product Shipping	35.1 lbs. (15.9kg) 40 lbs. (18.1kg)
Miscellaneous Cloth Grill	Fitted Designer Acoustic Black Cloth
Finish Available Extras	Black Textured Vinyl Front mounted panel controls Line level & speaker level inputs
Prices Finishes	

Product Information
Positioned between the small OmniSub8 and the larger OmniSub12, the OmniSub10 delivers great bass performance in a compact size.

A proprietary 10", long-excursion driver is used in conjunction with a 300 watt Class D amplifier.


Triad's OmniSubs provide excellent performance at a "value" price and come in an attractive black finish with black grill.



	InRoom OmniSub12
Speaker Type Engineering Principle Enclosure Type	Subwoofer Powered Acoustic Suspension
Drive Units Woofer	(1) 12" long-excursion carbon fiber
Product Features Amplifier	Built-in 500 watt Class D amp Efficient and energy saving design Volume, Crossover & Phase adjustments Signal-sensing power-on Line level and speaker level inputs
Frequency Response	17 Hz - 300Hz (+/-1.5dB) F3 (-3dB) = 17Hz
Dimensions Enclosure (W x H x D)	15 13/16" x 18" x 14 11/16" (40.1 x 45.7 x 37.3 cm)
Weight Actual Product Shipping	44 lbs. (20kg) 50 lbs. (22.7kg)
Miscellaneous Cloth Grill	Fitted Designer Acoustic Black Cloth
Finish Available Extras	Black Textured Vinyl Front mounted panel controls Line level & speaker level inputs
Prices Finishes	

Product Information
The flagship of Triad's new OmniSub series delivers powerful bass performance. With high output and response extension to below 20 Hz, the OmniSub12 is equally at home in music and theater applications. A proprietary, long-excursion 12" driver is used in conjunction with a 500 watt Class D amplifier.

Triad's OmniSubs provide excellent performance at a "value" price and come in an attractive black finish with black grill.



DSPSubInfo

Triad has introduced a high-end line of InRoom subwoofers, with an exciting new design, new higher-performance drivers, and rugged amplifiers. Priced approximately the same as our last generation of PowerSubs, the Subs offer far more performance.


The RackAmps offer significantly more useable power than the previous line and feature a single space rack height along with a reduced chassis depth meaning they fit in more tight locations and racks.

The InRoom enclosures have a bold industrial design that looks handsome in any environment. As with all Triad InRoom speakers, custom color paint matching is available, and there is an unlimited array of real wood veneer finishes that can also be custom matched. The enclosures utilize a beautiful metal grill, for an elegant appearance. All our compact enclosures are heavily braced and acoustically inert for the cleanest possible reproduction, even at theatrical levels.



The subs (with the exception of the InRoom/InCeiling Mini, InWall/InCeiling Bronze and InWall SlimSubs) use all new ultra-low distortion aluminum cone drivers for considerably more output, greater extension, and far more headroom than our previous PowerSub line, without sacrificing sound quality.

Triad now offers the most complete high-end lineup of InRoom, InWall, and InCeiling subwoofers for the discriminating listener.



Speaker Type	Subwoofer
Engineering Principle	Powered
Enclosure Type	Acoustic Suspension
Drive Units	
Woofer	(1) 8" Long-throw coated paper
Product Features	
Amplifier	RackAmp 300
	EnergyStar compliant User selectable Preset Modes for Mini, Bronze & Flex Volume Level, Crossover Control, Speaker level inputs, Line Level Output & Multiple Control Options.
Frequency Response	20 Hz - 200Hz (+/-2dB) F3 (-3dB) = 20Hz
Dimensions	
Enclosure (W x H x D)	12" x 14 7/16" x 10 13/16" (30.4 x 36.6 x 27.4 cm)
Weight	
Actual Product	33 lbs. (15kg)
Shipping	37 lbs. (16.8kg)
Miscellaneous	
Metal Grill	Designer Paintable AcoustiPerf™
Cloth Grill	
Finish Available	Paint or Real Wood Veneer
Extras	Isolation Feet (included) or Spikes
Prices	
Finishes	

Product Information
Triad's InRoom Mini Sub is our subcompact powerhouse with an 8" driver; designed for venues where small size is important, but so is rich bass.

Powerful SubAmp technology combines Class A/B performance and near Class D efficiency with easy set-up and calibration features. The InRoom Mini Sub is available with a separate RackAmp 300.



InRoom Mini Sub



InRoom Bronze Sub



InRoom Silver Sub



InRoom Gold Sub



InRoom Platinum Sub



Speaker Type	Subwoofer
Engineering Principle	Powered
Enclosure Type	Acoustic Suspension
Drive Units	
Woofer	(1) 10" Ultra-low distortion aluminum cone woofer
Product Features	
Amplifier	RackAmp 300
	EnergyStar compliant User selectable Preset Modes for Mini, Bronze & Flex Volume Level, Crossover Control, Speaker level inputs, Line Level Output & Multiple Control Options.
Frequency Response	20 Hz - 200Hz (+/-2dB) F3 (-3dB) = 20Hz
Dimensions	
Enclosure (W x H x D)	13 1/2" x 16 3/16" x 12 13/16" (34.2 x 41.1 x 32.5 cm)
Weight	
Actual Product	45 lbs. (20.4kg)
Shipping	52 lbs. (23.1kg)
Miscellaneous	
Metal Grill	Designer Paintable AcoustiPerf™
Cloth Grill	
Finish Available	Paint or Real Wood Veneer
Extras	Isolation Feet (included) or Spikes
Prices	
Finishes	

Product Information
The InRoom Bronze Sub with a 10" driver offers great performance in a compact package. Triad's subwoofers offer the best in performance, value, and versatility, in a stunning industrial design package.

With all new drivers, enclosures, and amplifiers, there is a Triad subwoofer for any application.

Custom paint matching and an infinite number of veneer finishes are available.

Speaker Type	Subwoofer
Engineering Principle	Powered
Enclosure Type	Acoustic Suspension
Drive Units	
Woofer	(1) 12" Ultra-low distortion aluminum cone woofer
Product Features	
Amplifier	RackAmp 600 DSP
	EnergyStar compliant User selectable Preset Modes Slope adjustments for all filters Multiple Control Options Signal-sensing power-on Line level and speaker level inputs
Frequency Response	20 Hz - 200Hz (+/-2dB) F3 (-3dB) = 20Hz
Dimensions	
Enclosure (W x H x D)	15 1/2" x 18 11/16" x 14 13/16" (39.3 x 47.4 x 37.6 cm)
Weight	
Actual Product	65 lbs. (29.5kg)
Shipping	70 lbs. (31.7kg)
Miscellaneous	
Metal Grill	Designer Paintable AcoustiPerf™
Cloth Grill	
Finish Available	Paint or Real Wood Veneer
Extras	Isolation Feet (included) or Spikes
Prices	
Finishes	

Product Information
Triad's 12" InRoom Silver Sub offers excellent bass performance in an attractive and compact package. The new DSP amps provide simple "plug-and-play," and EZ set-up. You can have great performance right out of the box in nearly any room.

Triad's new series of aluminum woofers provide greatly increased output and headroom over previous Triad subwoofers, but with low distortion and visceral impact. Custom paint matching and an infinite number of veneer finishes are available.

Speaker Type	Subwoofer
Engineering Principle	Powered
Enclosure Type	Acoustic Suspension
Drive Units	
Woofer	(1) 15" Ultra-low distortion aluminum cone woofer
Product Features	
Amplifier	RackAmp 600 DSP
	EnergyStar compliant User selectable Preset Modes Slope adjustments for all filters Multiple Control Options Signal-sensing power-on Line level and speaker level inputs
Frequency Response	20 Hz - 200Hz (+/-2dB) F3 (-3dB) = 20Hz
Dimensions	
Enclosure (W x H x D)	18 1/2" x 21 11/16" x 16 13/16" (47 x 55.1 x 42.7 cm)
Weight	
Actual Product	120 lbs. (54.4kg)
Shipping	128 lbs. (58kg)
Miscellaneous	
Metal Grill	Designer Paintable AcoustiPerf™
Cloth Grill	
Finish Available	Paint or Real Wood Veneer
Extras	Isolation Feet (included) or Spikes
Prices	
Finishes	

Product Information
Triad's InRoom Gold Sub features a 15" aluminum cone driver for prodigious output and impact. Triad's DSP subwoofers offer the best in performance, value, and versatility, in a stunning industrial design, package With all new drivers, enclosures, and DSP amplifiers, there is a Triad subwoofer for any application, and advanced DSP allows the sub to be further dialed in for optimum performance.

Custom paint matching and an infinite number of veneer finishes are available.

Speaker Type	Subwoofer
Engineering Principle	Powered
Enclosure Type	Acoustic Suspension
Drive Units	
Woofer	(1) 18" Ultra-low distortion aluminum cone woofer
Product Features	
Amplifier	RackAmp 600 DSP
	EnergyStar compliant User selectable Preset Modes Slope adjustments for all filters Multiple Control Options Signal-sensing power-on Line level and speaker level inputs
Frequency Response	20 Hz - 200Hz (+/-2dB) F3 (-3dB) = 20Hz
Dimensions	
Enclosure (W x H x D)	21 1/2" x 24 13/16" x 19" (54.6 x 61.5 x 48.3 cm)
Weight	
Actual Product	152 lbs. (68.9kg)
Shipping	172 lbs. (78kg)
Miscellaneous	
Metal Grill	Designer Paintable AcoustiPerf™
Cloth Grill	
Finish Available	Paint or Real Wood Veneer
Extras	Isolation Feet (included) or Spikes
Prices	
Finishes	

Product Information
Triad's new InRoom Platinum DSP Sub offers spectacular performance at half the cost of some other 18" subwoofers... so you can buy two!

Triad's new series of aluminum drivers provide greatly increased output and headroom over previous Triad subwoofers, but with low distortion and visceral impact. Custom paint matching and an infinite number of veneer finishes are available.

SlimSub DSP Sub Speakers



InRoom Bronze SlimSub



OnWall Bronze SlimSub



InWall Bronze/4 SlimSub



InWall Bronze/6 Sub



InCeiling Bronze/10 Sub



InWall Silver/15 Sub



OnWall Silver Sub



InCeiling Mini/8 Sub



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Woofer

Product Features

Amplifier

Frequency Response

Dimensions

Enclosure (W x H x D)

Weight

Actual Product

Shipping

Miscellaneous

Metal Grill

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

InWall Grill/Frame Size (OD)

NCB

Finish Available

Prices

Finishes

Product Information

Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Woofer

Product Features

Amplifier

Frequency Response

Dimensions

Enclosure (W x H x D)

Weight

Actual Product

Shipping

Miscellaneous

Metal Grill

InWall Hole Cutout Size

InWall Grill/Frame Size (OD)

InWall Grill/Frame Size (OD)

NCB

Finish Available

Prices

Finishes

Product Information



The InRoom Bronze SlimSub standing upright is a compact powerhouse that looks smart and at just 4.3 inches deep takes up almost no floorspace.

Or if you desire, it can be hidden face down under furniture (couch or bed) with just 5.1 inches of height clearance.

Visible or hidden, you get the same great bass from all SlimSub models.

The OnWall Bronze SlimSubs with its included EZ Mount Brackets, is quick & easy to mount on a wall, where it protrudes just 4.4 inches when installed.

The OnWall SlimSub is a real performer. Pair it with a OnWall Nano SoundBar for added low frequency extension for theaters and whole house music systems.

The InWall SlimSub/4 fits into a standard 4" wall with flush/flat grill that can be made to further blend into your environment with Triad's exclusive paint matching program. We perfectly match your speakers grill to your wall color with the sample you provide.

The Bronze/4 SlimSub is a real performer. Use it in a den, bedroom, guest room, or office. At low listening levels or for background it adds fullness and warmth, and at higher levels, it adds dynamics and weight.

The InWall Bronze/6 Sub is a real performer. It is designed to fit into a 6" stud space, and it uses a handsome, flush AcoustiPerf™ grill. And we build all Triad speakers to order, and offer custom paint matching to the paint sample or paint number that you supply.

The new RackAmp 300 amps provide simple "plug-and-play," and EZ set-up. You can have great performance right out of the box in nearly any room.

The InCeiling Bronze/10 Sub may be used in multiples, each with its own amplifier, in home theater applications. Or, a single Bronze/10 may be used for a den, bedroom, guest room, family room, or office. At low listening levels or for background, a discretely placed InCeiling Bronze/10 Sub adds fullness and warmth, and at higher levels, it adds dynamics and weight.

The G-size grill is the same as many other Triad InCeiling speakers, allowing for a clean, consistent look.

The InWall Silver/15 Sub is the perfect choice where prodigious bass is desired without the imposing presence of an unattractive black box. The InWall Silver/15 Sub features a 600 watt DSP amplifier, a long-throw, cast-basket 12" driver, and the most structurally solid inwall subwoofer enclosure available from anyone.

Now you can have serious built-in bass...not the weak bass from conventional open-back "woofer" designs that lack extension, articulation and output.

The OnWall Silver Sub is the perfect choice where prodigious bass is desired with the need to hide the sub behind a stretched fabric wall. The OnWall Silver Sub features a 600 watt DSP amplifier, a long-throw, cast-basket 12" driver, and the most structurally solid inwall subwoofer enclosure available from anyone.

Now you can have serious bass...not the weak bass from conventional open-back "woofer" designs that lack extension, articulation and output.

The InCeiling Mini/8 Sub is yet another innovative solution for integrating bass into a room with minimal physical impact. A long-throw 8" driver in a compact enclosure mounts cleanly into almost any ceiling, including those with narrow 12" on-center joists. Now you can have bass anyplace, and without bulky black boxes cluttering the floor.

Available in two performance configurations, single enclosure with 300 watt amp; dual enclosures (8ohms) with 300 watt amp.

FlexSubInfo

Triad's new FlexSub line allows you to add bass to an audio system with the very least amount of visual clutter. We named them "FlexSub" because of their installation flexibility. The Mini FlexSub is a version of Triad's Mini Sub and the Silver FlexSub of the Silver DSP Sub. Both have been configured to install behind a ceiling, cabinet toe-kick, baseboard, wall, or crawl space. The bass is channeled through a damped, coiled, expandable, flexible tube that terminates with one of two standard Triad grills Size W & S; or two Vent Outlets.



Mini FlexSub Enclosure



Mini FlexSub Toe-kick Vent



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Woofer

Product Features

Amplifier

Frequency Response

Dimensions
Enclosure (W x H x D)

Weight

Actual Product

Shipping

Miscellaneous

Grill Option

InWall Grill/Frame Size (OD)

InWall Grill/Frame Size (OD)

Vent Option

Vent Grill Size (OD)

Finish Available

Prices

Finishes

Product Information



Mini FlexSub

Subwoofer
Powered
Acoustic Suspension

(1) 8" Long-throw coated paper

RackAmp 300

EnergyStar compliant
User selectable Preset Modes for Mini, Bronze & Flex Volume Level, Crossover Control, Speaker level inputs, Line Level Output & Multiple Control Options.

20 Hz - 200Hz (+/-2dB)
F3 (-3dB) = 34Hz

10 3/4" x 10 3/4" x 8 3/16"
(27.3 x 27.3 x 20.7 cm)

00 lbs. (0kg)

41 lbs. (18.6kg)

Flush AcoustiPerf™ Size W

8 1/2" x 8 1/2" - Wide

7 7/8" x 7 7/8" - Narrow

Toe-kick style vent

15" x 3 1/8"

Paint

The Mini FlexSub comes with the new RackAmp 300, which provides control and 300 watts RMS for solid bass performance, and a high-performance 8" subwoofer driver. Only one speaker enclosure should be used with a single RackAmp 300.

Where more bass is desired, multiple Mini FlexSubs may be used, and they'll be virtually invisible. With no big, black boxes on the floor or huge grills in the walls, you can now have great bass in any room without having any impact on your décor.



Silver FlexSub

Subwoofer
Powered
Acoustic Suspension

(1) 12" Ultra-low distortion aluminum cone woofer

RackAmp 600 DSP

EnergyStar compliant
User selectable Preset Modes
Slope adjustments for all filters
Multiple Control Options
Signal-sensing power-on
Line level and speaker level inputs

20 Hz - 200Hz (+/-2dB)
F3 (-3dB) = 22Hz

13 1/2" x 19" x 14 1/2"
(34.2 x 48.2 x 36.8 cm)

00 lbs. (0kg)

85 lbs. (38.5kg)

Flush AcoustiPerf™ Size S

12" x 12" - Wide

11 7/16" x 11 7/16" - Narrow

Rectangular style vent

12 1/2" x 7 1/2"

Paint

The Silver FlexSub comes with the new RackAmp 600, which provides control and 600 watts RMS, and a high-performance, long-throw 12" subwoofer driver for solid bass performance.

Where even more bass is desired, multiple Silver FlexSubs may be used, and they'll be virtually invisible. With no big, black boxes on the floor or huge grills in the walls, you can now have great bass in any room without having any impact on your décor!



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Woofer

Product Features

Amplifier

Frequency Response

Dimensions
Enclosure (W x H x D)

Weight

Actual Product

Shipping

Miscellaneous

Grill Option

InWall Grill/Frame Size (OD)

InWall Grill/Frame Size (OD)

Vent Option

Vent Grill Size (OD)

Finish Available

Prices

Finishes

Product Information



Silver FlexSub with Grill



Silver FlexSub Vent

Like all Triad subwoofers, the enclosures are heavily braced and acoustically inert, a trademark of all Triad subs for almost thirty years. If you have access to your attic, basement, crawl space, or the back of a cabinet, the FlexSub enclosure mounts in a hidden area, and all that is seen is a very small grill or vent, which we can paint match for you. All parts and hardware are included.

The Mini FlexSub comes with the new RackAmp 350, which provides control and 350 watts RMS and a high-performance 8" subwoofer driver. The Silver FlexSub comes with the new RackAmp 600, which provides control and 600 watts RMS, and a high-performance, long-throw 12" subwoofer driver. Both subwoofers provide solid bass performance. The amplifier is installed with the rest of your electronics for your convenience. Where more bass is desired, multiple Mini FlexSubs may be used, and they'll be virtually invisible.

Triad's new FlexSubs set the standard for performance, features, and value.

Subwoofer/DSP Separates



Type

Prices
Finishes

Soon to be Discontinued



RackAmp 600 DSP Amp

Single, 1 rack space amplifier for use with the following:

- InRoom Silver Sub
- InWall Silver Sub
- InRoom Gold Sub
- InRoom Platinum Sub



RackAmp 300 Amp

Single, 1 rack space amplifier for use with the following:

- InRoom Bronze Sub (1 4-ohm or 2 8-ohm)
- InWall Bronze Sub (1 4-ohm or 2 8-ohm)
- Bronze SlimSubs (1 4-ohm or 2 8-ohm)
- Mini Subs (1 4-ohm or 2 8-ohm)



RackAmp 700 DSP Amp - Available April 2016

Single, 1 rack space amplifier for use with the following:

- Mini Subs (1 or 2 8-ohm)
- InRoom Bronze Sub (1 or 2 8-ohm)
- InWall Bronze Sub (1 or 2 8-ohm)
- Bronze SlimSubs (1 or 2 8-ohm)
- InRoom Silver Sub
- InWall Silver Sub
- InRoom Gold Sub
- InRoom Platinum Sub

Type

Prices
Finishes

Subwoofer/DSP Separates



Options Subwoofers

Voltage Options:

Triad subwoofer amplifiers are available in different volt options depending on your location.

The US version is standard and is fitted with a two conductor polarized plug.

The European version is a no charge option and is fitted with a two pin Euro plug.

Subwoofers:

All inwall subwoofers are shipped and invoiced as two separate components; a speaker enclosure and a rack-mountable amplifier, unless otherwise specified.



InRoom Mini Sub

Subwoofer - Enclosure Only

Type

Prices
Finishes



InRoom Bronze Sub

Subwoofer - Enclosure Only



InRoom Silver Sub

Subwoofer - Enclosure Only



InRoom Gold Sub

Subwoofer - Enclosure Only



InRoom Platinum Sub

Subwoofer - Enclosure Only

Type

Prices
Finishes



IR/OW Bronze SlimSub

Subwoofer - Enclosure Only

Type

Prices
Finishes



InWall Bronze/4 SlimSub

Subwoofer - Enclosure Only



InWall Bronze/6 Sub

Subwoofer - Enclosure Only



InWall Bronze/10 Sub

Subwoofer - Enclosure Only



InWall Silver/15 Sub

Subwoofer - Enclosure Only



OnWall Silver Sub

Subwoofer - Enclosure Only



InCeiling Mini/8 Sub

Subwoofer - Enclosure Only

Type

Prices
Finishes



SpeakerAccessories



Type
Available
Prices
Finishes



New Construction Bracket

NCB
All Square & Rectangle Sizes



InCeiling RetroKit

Hanging RetroKit NCB
Sizes C, G, & S



InCeiling Round Bracket

NCB
All Rounds Sizes
(Qty of 6 Each per box)

Used with any InCeiling speakers that require C, G and S brackets including InCeiling Bronze/10 subwoofers and InCeiling Bronze/8 subwoofers. Also recommended for suspended ceiling applications.

Round NCBs fit the following speakers:

- NCB R5:**
R-25, All InCeiling Mini Open & Sealed
- NCB R6:**
R-26, All InCeiling Bronze Open & Sealed
- NCB R8:**
R-28, All InCeiling Silver Open & Sealed



InCabinet Sub Adaptor

InWall Subwoofers

Specify V, G or S size

Used when installing InWall Subs to the inside of cabinets to downfire the subwoofer. Adaptor plates mate to inwall speaker box and provide isolation to prevent buzzing.



InRoom Pedestals

Speaker Stand

For LCR, Monitor & Mini Monitor

Basic Finishes

The standard color for InRoom/ OnWall products is Black.

The standard grill-frame color for InWall/InCeiling products is White.

For any other colors please refer to Triad's Custom Match Finish program. The paint we use is a top quality enamel and is applied with a light pebble finish.

Veneer is not available on Surrounds and aluminum OnWall products).

The following standard colors are available from Triad:

- Black Textured Paint
- White Textured Paint
- Silver Paint
- Custom Matched Paints

Veneer Finishes

Unless ordered unfinished, all veneer finishes are sealed with a clear water based enamel.

The following Real Wood Veneers are available from Triad:

- Natural White Oak-Rift
- Natural Rosewood
- Natural Red Oak-Flat
- Zebrawood
- Medium White Oak-Rift
- Mahogany
- Medium Red Oak-Flat
- White-washed Oak
- Douglas Fir
- Black Oak
- Birch
- Teak
- Maple
- Red Rosewood
- Walnut
- Birds-eye Maple
- Natural Cherry

Other exotic veneers available upon request.

Exotic and 2 part stains will be quoted individually. Oiled finishes also available...Please inquire.

SpeakerFinishOptions

Custom Matched Finishes

Prices now include custom paint and stain colors (except for OmniRounds).

The following colors are available from Triad:

- Custom Matched Paints
- Custom Matched Stains

Gloss Finishes

Gloss custom colors or gloss veneer finishes are now available for a modest upcharge on select onwall products. Please call Triad for more information and product availability.

SpeakerCustomSolutions

To provide you and your clients with custom speaker solutions to your installation challenges, Triad is proud to announce it's Custom Engineering Department.

We understand that even with our vast array of stock speakers, often times you need a speaker modified to fit a tight area, and sometimes you may even need a pure one-off design for a very specific function.

Because our speakers are designed and manufactured in America, we have the ability to design and manufacture custom speakers for you, and in a shorter period of time than you might imagine. Few, if any, speaker companies offer this service, and, if they do, not to the extent Triad does it. All custom speakers are designed, engineered, and built to Triad's high standards.

A custom product from Triad is designed, engineered and manufactured to ensure that no matter what the shape or size of the product, the quality and workmanship are the same as our standard product.

Pricing for custom product will be quoted individually and may incur additional engineering and design charges. If you need something be sure to call us and we will find a solution for you. For more information on our custom design solutions, please contact Triad with any questions concerning your custom needs.



Custom InRoom Platinum Center



Custom OnWall Micro SoundBar with Samsung Notch

Triad Custom Department
1-800-666-6316
orders@triadspeakers.com



FrameStyleChoices

Triad Speakers is now shipping all grill inserts with AcoustiPerf™ metal which provides a cleaner look and consistent paint surface. You can choose between three inwall/inceiling frame choices, our original Wide frame, a reduced Narrow frame and a Frameless grill option.


There is no default grill style, so **you must now specify** which grill style you want when you place your order.

When choosing the Narrow style grill option, the outer frame will be smaller, so you will need to be a bit more careful in the measurement and cut out, when installing the speakers.



AnyColorToday

All Triad speakers may be ordered in virtually any custom paint-matched color, with a customer's supplied paint sample. Painting in the field tends to be difficult and results are usually poor, so take advantage of this service today.



TriadRoundSpeakers

InCeiling SealedRounds and OpenRounds

These speakers are available with two Frameless Grill options, the standard default is a Round grill. Square grills ship only when specified.

R-Series Rounds

Speaker grills have a designer-friendly, minimal bezel and your choice of either a round or a square grill.

Custom Paint is also available for all grill shapes at an additional cost.

RoundsInfo

Triad has introduced a completely new line of round ceiling speakers, replacing the previous OmniRound line. There are more options, they look better, and they sound better, and at prices comparable to the previous in ceiling speakers.



We listened to what our dealers wanted in a ceiling speaker, and these all-new speakers reflect that dealer input. There are four models in fully engineered, sealed, steel enclosures called the "SealedRound" speakers. Certification is pending, but the steel enclosure should be plenum rated for installations where a fire rating is desirable. Also, the sealed enclosures provide predictable sound quality and superb isolation. The four new "OpenRound" speakers are more conventional open-back designs, but of very high quality. And the Open and Sealed versions use different drivers; optimized for either sealed or open-back design. All other companies offer "back boxes" for their open-back speakers, although a speaker can either be designed for use with an enclosure or not...but not both in one product. Our enclosed rounds are optimized to be in an enclosure, and our open-back rounds are designed for infinite baffle.

Almost as important as the sound is the new look of our OpenRound and SealedRound speakers. The metal grills are made from a very attractive material, available in two shapes (round or square) and they use no bezel whatsoever. They attach with magnets, and installation is easy. We believe our grills to be the best looking in the business.



Speaker Type
Engineering Principle
Enclosure Type



InCeiling Mini OpenRound

Ceiling
2-way
Acoustic Suspension

Drive Units

Tweeter (1) 1" Fabric dome
Midrange (1) 4" Carbon fiber composite
Woofer (1) 4" Carbon fiber composite

Product Features

Installed Frequency Response 85Hz - 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 8 ohms
Sensitivity 84dB (2.83v, 1m)

Dimensions

OD Diameter 7 5/16" (18.5 cm)
Mounting Depth 3" (7.62 cm)

Weight

Actual Product 3.4 lbs. (1.5kg)
Shipping 9 lbs. (4.1kg) *Packaged 2 per box*

Miscellaneous

Metal Grill Flush Acoustiperf™
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size 6 9/16" dia (16.6 cm)
InWall Grill/Frame Size (OD) 7 3/8" or 7 3/8" x 7 3/8" (18.7 cm)
NCB Size R5
Finish Available Paint
Extras

Prices

Finishes

Product Information

Triad's entry-level open-back ceiling speaker has a lot to offer at a reasonable price. The InCeiling Mini OpenRound features a quality cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position. The grill is extremely designer-friendly, and does not use a bezel.

For cost-conscious installations where sound isolation is not an issue and you have a choice of either a round or a square grill, at no additional cost.



Speaker Type
Engineering Principle
Enclosure Type



InCeiling Bronze OpenRound

Ceiling
2-way
Acoustic Suspension



InCeiling Silver OpenRound

Ceiling
2-way
Acoustic Suspension



InCeiling Silver DT OpenRound

Ceiling
2-way, Stereo
Acoustic Suspension

Drive Units

Tweeter (2) 1" Fabric dome
Midrange (1) 6 1/2" Carbon fiber composite
Woofer (1) 6 1/2" Carbon fiber composite

Product Features

Installed Frequency Response 60Hz - 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 8 ohms
Sensitivity 87dB (2.83v, 1m)

Dimensions

OD Diameter 10 3/16" (25.8 cm)
Mounting Depth 4 1/16" (10.4 cm)

Weight

Actual Product 5.3 lbs. (2.4kg)
Shipping 7.4 lbs. (3.4kg) *each*

Miscellaneous

Metal Grill Flush Acoustiperf™
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size 9 9/16" dia (24.2 cm)
InWall Grill/Frame Size (OD) 10 1/4" or 10 1/4" x 10 1/4" (26.1 cm)
NCB Size R8
Finish Available Paint
Extras

Prices

Finishes

Product Information

Triad's mid-sized open-back ceiling speaker has a lot to offer at a reasonable price, both in performance and looks. The InCeiling Bronze OpenRound features a cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position.

For distributed audio installations where sound isolation is not an issue, Triad's new InCeiling Bronze OpenRound delivers exceptional performance and value with the look everyone wants..

Triad's largest open-back ceiling speaker has a lot to offer at a reasonable price, both in performance and looks. The InCeiling Silver OpenRound features a cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position.

The speaker can retro-fit into an existing ceiling, and new construction brackets are also available. Installation is simple and straightforward. Custom paint matching is available from Triad, at a modest cost.

Triad's dual channel ceiling speaker is as versatile as it is attractive. It's the perfect speaker for special installations such as hallways where it is desirable for each ceiling speaker to play both channels for uniform background coverage or bathrooms, sitting rooms, etc., where there is only room for one speaker which will reproduce both stereo channels.

In addition, the DT has switchable tweeter modes, making it either a dipole or bipole speaker, suitable for a variety of surround applications in smaller theater venues.

RoundNCB

New Construction Brackets are available for overnight shipping and are sold and shipped in pairs except for the DT OpenRound

CustomPaint

* All OpenRound Product ships in White. All other colors (including black)

InCeilingSealedRoundSpeakers









RoundNCB

New Construction Brackets are available for overnight shipping and are sold and shipped in pairs except for the DT SealedRound

InCeilingSealedRoundSpeakers

CustomPaint

* All SealedRound Product ships in White.
All other colors (including black)

					
					
Speaker Type	Ceiling	Ceiling	Ceiling	Ceiling	Speaker Type
Engineering Principle	2-way	2-way	2-way	2-way, Stereo	Engineering Principle
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Enclosure Type
<u>Drive Units</u>					<u>Drive Units</u>
Tweeter	(1) 1" Fabric dome	(1) 1" Fabric dome	(1) 1" Fabric dome	(2) 1" Fabric dome	Tweeter
Midrange					Midrange
Woofer	(1) 4" Carbon fiber composite	(1) 5 1/4" Carbon fiber composite	(1) 6 1/2" Carbon fiber composite	(1) 6 1/2" Carbon fiber composite	Woofer
<u>Product Features</u>					<u>Product Features</u>
Installed Frequency Response	95Hz - 20kHz (+/-3dB)	85Hz - 20kHz (+/-3dB)	90Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)	Installed Frequency Response
Recommended Amp Power	25 - 125 watts	25 - 125 watts	25 - 125 watts	25 - 125 watts	Recommended Amp Power
Nominal Impedance	8 ohms	8 ohms	8 ohms	8 ohms	Nominal Impedance
Sensitivity	86dB (2.83v, 1m)	85dB (2.83v, 1m)	87dB (2.83v, 1m)	87dB (2.83v, 1m)	Sensitivity
<u>Dimensions</u>					<u>Dimensions</u>
OD Diameter	6 9/16" dia (16.6 cm)	8 9/16" (21.7 cm)	10 3/16" (25.8 cm)	10 3/16" (25.8 cm)	OD Diameter
Mounting Depth	7" (17.8 cm)	7 7/8" (20 cm)	7 13/16" (19.9 cm)	7 13/16" (19.9 cm)	Mounting Depth
<u>Weight</u>					<u>Weight</u>
Actual Product	5.4 lbs. (2.4kg)	7 lbs. (3.2kg)	8 lbs. (3.6kg)	8.9 lbs. (4.1kg)	Actual Product
Shipping	13.7 lbs. (6.2kg) <i>Packaged 2 per box</i>	18.3 lbs. (8.3kg) <i>Packaged 2 per box</i>	21.8 lbs. (9.9kg) <i>Packaged 2 per box</i>	11.9 lbs. (5.4kg) <i>each</i>	Shipping
<u>Miscellaneous</u>					<u>Miscellaneous</u>
Metal Grill	Flush Acoustiperf™	Flush Acoustiperf™	Flush Acoustiperf™	Flush Acoustiperf™	Metal Grill
Cloth Grill					Cloth Grill
Mounting Inserts					Mounting Inserts
InWall Hole Cutout Size	6 9/16" dia (16.6 cm)	7 7/8" dia (20 cm)	9 9/16" dia (24.2 cm)	9 9/16" dia (24.2 cm)	InWall Hole Cutout Size
InWall Grill/Frame Size (OD)	7 3/8" or 7 3/8" x 7 3/8" (18.7 cm)	8 5/8" or 8 5/8" x 8 5/8" (21.9 cm)	10 1/4" or 10 1/4" x 10 1/4" (26.1 cm)	10 1/4" or 10 1/4" x 10 1/4" (26.1 cm)	InWall Grill/Frame Size (OD)
NCB	Size R5	Size R6	Size R8	Size R8	NCB
Finish Available	Paint	Paint	Paint	Paint	Finish Available
Extras					Extras
<u>Prices</u>					<u>Prices</u>
Finishes					Finishes

Product Information

Triad's entry-level enclosed ceiling speaker has a lot to offer at a reasonable price. The InCeiling Mini SealedRound features a quality cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position. The grill is extremely designer-friendly, and does not use a bezel.

For installations where sound isolation and sound quality are important and you have a choice of either a round or a square grill, at no additional cost.

Triad's mid-sized enclosed ceiling speaker has a lot to offer at a reasonable price, both in performance and looks. The InCeiling Bronze SealedRound features a quality cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position.

For installations where sound isolation and sound quality are important, Triad's new Bronze SealedRound delivers exceptional performance and value with an elegant, unobtrusive appearance.

Triad's largest enclosed ceiling speaker has a lot to offer at a reasonable price, both in performance and looks. The InCeiling Silver SealedRound features a cast basket carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position.

The engineered, sealed steel enclosure offers superior isolation and fire protection, and delivers predictable sound quality every time. Custom paint matching is available from Triad, at a modest cost.

Triad's dual channel ceiling speaker is as versatile as it is attractive. It's the perfect speaker for special installations such as hallways where it is desirable for each ceiling speaker to play both channels for uniform background coverage or bathrooms, sitting rooms, etc., where there is only room for one speaker which will reproduce both stereo channels.

In addition, the DT has switchable tweeter modes, making it either a dipole or bipole speaker, suitable for a variety of surround applications in smaller theater venues.

Product Information





NEW



InCeiling R25

Speaker Type Ceiling
Engineering Principle 2-way
Enclosure Type Acoustic Suspension

Drive Units

Tweeter (1) 1" Fabric dome
Midrange (1) 5 1/4" Carbon fiber composite
Woofer

Product Features

Installed Frequency Response 68Hz - 20kHz (+/-3dB)
Recommended Amp Power 25 - 125 watts
Nominal Impedance 8 ohms
Sensitivity 86dB (2.83v, 1m)

Dimensions

OD Diameter 7 1/16" (19.6 cm)
Mounting Depth 3 3/4" (9.52 cm)

Weight

Actual Product 7.4 lbs. (3.35kg)
Shipping 11 lbs. (4.9kg) *Packaged 2 per box*

Miscellaneous

Metal Grill Flush Acoustiperf™ w/bezel
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size 6 9/16" dia (16.6 cm)
InWall Grill/Frame Size (OD) 8 5/16" or 8 5/16" x 8 5/16" (2.1 cm)
NCB Size R5
Finish Available Paint
Extras

Prices

Finishes

Product Information

Triad's entry-level opened ceiling speaker has a lot to offer at a reasonable price. The InCeiling R25 features a carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position. The grill is designer-friendly with a minimal bezel and your choice of either a round or a square grill, at no additional cost.

NEW



InCeiling R26

Speaker Type Ceiling
Engineering Principle 2-way
Enclosure Type Acoustic Suspension

(1) 1" Fabric dome
(1) 6 1/2" Carbon fiber composite

50Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
87dB (2.83v, 1m)

9 1/16" (23.0 cm)
4" (10.1 cm)

8.3 lbs. (3.76kg)
13 lbs. (5.89kg) *Packaged 2 per box*

Flush Acoustiperf™ w/bezel

7 7/8" dia (20 cm)
9 1/16" or 9 1/16" x 9 1/16" (24.6 cm)
Size R6
Paint

Triad's entry-level opened ceiling speaker has a lot to offer at a reasonable price. The InCeiling R26 features a carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position. The grill is designer-friendly with a minimal bezel and your choice of either a round or a square grill, at no additional cost.

NEW



InCeiling R28

Speaker Type Ceiling
Engineering Principle 2-way
Enclosure Type Acoustic Suspension

(1) 1" Fabric dome
(1) 8 1/2" Carbon fiber composite

40Hz - 20kHz (+/-3dB)
25 - 125 watts
8 ohms
88dB (2.83v, 1m)

10 1/16" (27.1 cm)
4 3/8" (11.1 cm)

9 lbs. (4.08kg)
15 lbs. (6.8kg) *Packaged 2 per box*

Flush Acoustiperf™ w/bezel

9 9/16" dia (24.2 cm)
11 5/16" or 11 5/16" x 11 5/16" (28.7 cm)
Size R8
Paint

Triad's entry-level opened ceiling speaker has a lot to offer at a reasonable price. The InCeiling R28 features a carbon fiber woofer, and an adjustable and aimable tweeter for greater clarity at the listening position. The grill is designer-friendly with a minimal bezel and your choice of either a round or a square grill, at no additional cost.



Speaker Type
Engineering Principle
Enclosure Type

Drive Units

Tweeter
Midrange
Woofer

Product Features

Installed Frequency Response
Recommended Amp Power
Nominal Impedance
Sensitivity

Dimensions

OD Diameter
Mounting Depth

Weight

Actual Product
Shipping

Miscellaneous

Metal Grill
Cloth Grill
Mounting Inserts
InWall Hole Cutout Size
InWall Grill/Frame Size (OD)
NCB
Finish Available
Extras

Prices

Finishes

Product Information

CustomPaint

* All R-Series Product ships in White.
All other colors (including black)

RoundNCB

New Construction Brackets are available for overnight shipping and are sold and shipped in groups of 6 pieces per package.

CinemaReferenceInfo




What are CinemaReference products?

CinemaReference products were designed for home cinema & music systems that demand very high SPLs and audiophile sound quality. CR speakers combine a proprietary new generation folded-ribbon tweeter, Triad developed wave guides, and solid ingot-like enclosures with Diffraction Control Technology (DCT)™. They deliver very high output with ultra high resolution at all playback levels.

Relatively modest in size, the LCRs can hide behind acoustically transparent film screens or 1 1/2-inch deep stretched-fabric walls.



The LCR2 can be wall mounted with up to 12 degrees of toe-in, or used as a freestanding product with its optional floor stand. Finishes include flat black, gloss, real wood veneer and custom colors.

	 CR LCR2	 CR Surround2
		
Speaker Type	Front	Surround
Engineering Principle	3-way	Unipole
Enclosure Type	Acoustic Suspension w/ Diffraction Control Technology (DCT)™	Acoustic Suspension w/ Diffraction Control Technology (DCT)™
Drive Units		
Tweeter	(1) Proprietary Folded Ribbon w/ Triad-designed Wave Guide	(1) Proprietary Folded Ribbon w/ Triad-designed Wave Guide
Midrange	(2) 8" Proprietary Paper/fiber blend	(1) 10" Proprietary Paper/fiber blend
Woofers	(1) 15" Proprietary Paper/fiber blend	
Product Features		
Frequency Response	80Hz - 20kHz (+/-3dB)	80Hz - 20kHz (+/-3dB)
Recommended Amp Power	100 - 400 watts	100 - 400 watts
Nominal Impedance	4 ohms	4 ohms
Sensitivity	98dB (2.83v, 1m)	91dB (2.83v, 1m)
Max SPL-1m	121 dB on program material	114 dB
Dimensions		
Enclosure (W x H x D)	31 15/16" x 48" x 9 3/4" (78.6 x 121.9 x 24.8 cm)	22" x 27 3/8" x 9" (55.8 x 69.5 x 22.8 cm)
Weight		
Actual Product	150 lbs. (68kg)	55 lbs. (25kg)
Shipping	190 lbs. (86.2kg)	65 lbs. (29.5kg)
Miscellaneous		
Metal Grill	Black	Black
Cloth Grill		
Mounting Brackets	Yes (optional)	Yes (optional)
Finish Available	Paint/Veneer	Paint/Veneer
Extras	Real Hardwood Lens - Call Factory	
Prices		
Finishes		



CR 21 Sub

24" x 54" x 11.75"
(61.1 x 136.6 x 30.2 cm)

00 lbs. (00kg)
00 lbs. (00kg)

High performance subwoofer designed to be used with the CR LCR's and Surrounds. Price includes integrated PlateAmp.
Available April 2016




CR LCR2 Floor Stand

33.25" x 30" x 21"
(84.4 x 76.2 x 53.3 cm)

50 lbs. (22.7kg)
65 lbs. (29.4kg)

Need to choose between stand or bracket...Included with price of the CR LCR2 speaker.
Designed exclusively for the CR LCR2 as a floor stand. Standard tweeter height is 45 inches to tweeter center.



CR LCR2 OnWall Bracket

20.5" x 45.75" x 7"
(52 x 116.2 x 17.7 cm)

TBD
TBD

Need to choose between stand or bracket...Included with price of the CR LCR2 speaker.
Mounts the CR LCR2 to a wall, behind an acoustically transparent screens or 1 1/2-inch deep stretched-fabric walls. Horizontal angle adjustment range: +/- 12 degrees.



CR Surround2 Bracket

6-13/16" x 26-5/16" x 5-1/4"
(17.3 x 66.8 x 13.4)

10 lbs.
12 lbs.

Bracket included with price of the CR Surround2 speaker.
Wall mounts the CR Surround2 with adjustable tilt. The speaker can hide behind 9-1/2 inch deep stretched-fabric walls.



Dimensions
Size (W x H x D)

Weight
Actual Product
Shipping

Prices
Finishes

Product Information

CR Surround2

CR Surrounds can fit in 9-1/2 inch deep fabric walls. The Surrounds' new and unique Unipole design achieves the even hemispherical power response that Dipoles & Bipoles strive for.



CR LCR2 in basic finish



Dolby Atmos Speakers



What are Dolby Atmos enabled products?




Atmos is an affordable and ground breaking technology that makes it easy to place or move specific sounds anywhere in the room, including overhead, to create a sonic atmosphere of multi-dimensional sound.

With Dolby Atmos, sound comes alive from all directions to fill the home theater with astonishing clarity, power, detail and depth. Since its introduction in the cinema in 2012, Dolby Atmos has been embraced by all the major Hollywood studios, seven Academy Award® winning directors, and 16 Academy Award-winning sound mixers, among others.

Triad is proud to introduce a complete line of Dolby Atmos inspired speakers.



	NEW	
		InRoom Bronze LR-H
Speaker Type	Front	
Engineering Principle	2-way	
Enclosure Type	Acoustic Suspension	
Front Drive Units		
Tweeter	(1) 1" Fabric dome neodymium	
Midrange	(2) 5 1/4" Paper/fiber blend	
Woofer		
Top Drive Units		
	(4) 2" Full range proprietary neodymium	
Product Features		
Frequency Response	80Hz - 20kHz (+/-3dB)	
Recommended Amp Power	50 - 200 watts	
Nominal Impedance	4 ohms	
Sensitivity	89dB (2.83v, 1m)	
Dimensions		
Enclosure (W x H x D)	7 9/16" x 17 1/2" x 10 3/8" (19.2 x 44.5 x 26.3 cm)	
Weight		
Actual Product	21.8 lbs. (9.8kg)	
Shipping	23.3 lbs. (10.5kg)	
Miscellaneous		
Metal Grill	Curved AcoustiPerf™	
Cloth Grill		
Mounting Inserts		
Finish Available	Paint or Veneer	
Extras	Dolby Atmos Approved	
Prices		
Finishes		
Product Information	<p>The InRoom Bronze LR-H is designed for Dolby Atmos enabled systems and is really two systems in one; a traditional front firing speaker along with a Dolby Atmos up firing height channel.</p> <p>Mate this with an InRoom Bronze Center for the center channel and add a pair of Bronze SlimSubs for a dazzling Dolby Atmos enabled home theater.</p>	

	NEW		NEW		NEW	
		InRoom Silver LR-H		Bronze Height Module		Silver Height Module
Speaker Type	Front	Top	Top	Top	Top	Top
Engineering Principle	2-way	Atmos Enabled	Atmos Enabled	Atmos Enabled	Atmos Enabled	Atmos Enabled
Enclosure Type	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension	Acoustic Suspension
Front Drive Units						
Tweeter	(1) 1" Fabric dome neodymium	(1) 1" Fabric dome neodymium				
Midrange	(2) 6 1/2" Paper/fiber blend	(2) 6 1/2" Paper/fiber blend				
Woofer						
Top Drive Units						
	(4) 3" Full range proprietary neodymium	(4) 2" Full range proprietary neodymium	(4) 2" Full range proprietary neodymium	(4) 3" Full range proprietary neodymium	(4) 3" Full range proprietary neodymium	(4) 3" Full range proprietary neodymium
Product Features						
Frequency Response	80Hz - 20kHz (+/-3dB)	180Hz - 20kHz (+/-3dB)	180Hz - 20kHz (+/-3dB)	130Hz - 20kHz (+/-3dB)	130Hz - 20kHz (+/-3dB)	130Hz - 20kHz (+/-3dB)
Recommended Amp Power	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 200 watts	50 - 200 watts
Nominal Impedance	4 ohms	6 ohms	6 ohms	6 ohms	6 ohms	6 ohms
Sensitivity	91dB (2.83v, 1m)	89dB (2.83v, 1m)	89dB (2.83v, 1m)	89dB (2.83v, 1m)	89dB (2.83v, 1m)	89dB (2.83v, 1m)
Dimensions						
Enclosure (W x H x D)	8 3/4" x 22 7/16" x 11 3/16" (22.2 x 57 x 28.5 cm)	7 9/16" x 5 7/16" x 9 1/4" (19.2 x 13.8 x 23.6 cm)	7 9/16" x 5 7/16" x 9 1/4" (19.2 x 13.8 x 23.6 cm)	8 3/4" x 6 3/4" x 9 9/16" (22.2 x 17.2 x 24.2 cm)	8 3/4" x 6 3/4" x 9 9/16" (22.2 x 17.2 x 24.2 cm)	8 3/4" x 6 3/4" x 9 9/16" (22.2 x 17.2 x 24.2 cm)
Weight						
Actual Product	30.6 lbs. (13.9kg)	7.25 lbs. (3.3kg)	7.25 lbs. (3.3kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)
Shipping	45 lbs. (20.4kg)	28 lbs. (12.7kg) <i>Packaged 2 per box</i>	28 lbs. (12.7kg) <i>Packaged 2 per box</i>	23 lbs. (10.4kg) <i>Packaged 2 per box</i>	23 lbs. (10.4kg) <i>Packaged 2 per box</i>	23 lbs. (10.4kg) <i>Packaged 2 per box</i>
Miscellaneous						
Metal Grill	Curved AcoustiPerf™	AcoustiPerf™	AcoustiPerf™	AcoustiPerf™	AcoustiPerf™	AcoustiPerf™
Cloth Grill						
Mounting Inserts						
InWall Hole Cutout Size						
InWall Grill/Frame Size (OD)						
NCB						
Finish Available	Paint or Veneer	Paint or Veneer	Paint or Veneer	Paint or Veneer	Paint or Veneer	Paint or Veneer
Extras	Dolby Atmos Approved	Dolby Atmos Approved	Dolby Atmos Approved	Dolby Atmos Approved	Dolby Atmos Approved	Dolby Atmos Approved
Prices						
Finishes						
Product Information	<p>The InRoom Silver LR-H is designed for Dolby Atmos enabled systems and is really two systems in one; a traditional front firing speaker along with a Dolby Atmos up firing height channel.</p> <p>Mate this with an InRoom Bronze Center for the center channel and add subwoofers for a dazzling Dolby Atmos enabled home theater.</p>		<p>Height Modules provide Dolby Atmos' engaging overhead height layer to Home Theater Movie, TV, and Game lovers who cannot install overhead speakers in or on the ceiling.</p> <p>Instead, they are designed to reflect Dolby Height information off of flat ceilings from below, using the special frequency response which Dolby developed with their latest psycho-acoustic research.</p>		<p>Height Modules provide Dolby Atmos' engaging overhead height layer to Home Theater Movie, TV, and Game lovers who cannot install overhead speakers in or on the ceiling.</p> <p>Instead, they are designed to reflect Dolby Height information off of flat ceilings from below, using the special frequency response which Dolby developed with their latest psycho-acoustic research.</p>	

OutdoorSpeakers

Triad continues its audio philosophy outdoors, with all-weather products that are designed to look great and deliver big. With the best looking aesthetics in this category and the ability to custom paint them to match all exterior environments, from courtyards and patios to entire residential estates...Triad is your choice.



Speaker Type
Engineering Principle
Enclosure Type

SOON

Available Soon
Call For Details

OD25

Outdoor
2-way
Acoustic Suspension

SOON

Available Soon
Call For Details

OD26

Outdoor
2-way
Acoustic Suspension

Drive Units

Tweeter

(1) 1" Titanium dome

(1) 1" Titanium dome

Midrange
Woofer

(1) 5" Proprietary

(1) 6" Proprietary

Product Features

Frequency Response

TBA

TBA

Recommended Amp Power

TBA

TBA

Nominal Impedance

TBA

TBA

Sensitivity

TBA

TBA

Max SPL-1m

TBA

TBA

Dimensions

Enclosure (W x H x D)

TBA

TBA

Weight

Actual Product

TBA

TBA

Shipping

TBA

TBA

Miscellaneous

Metal Grill

Painted Aluminum

Painted Aluminum

Cloth Grill

Mounting Brackets

Yes - Towel Bar Style

Yes - Towel Bar Style

Finish Available


Standard White & Black / Custom
Paint Match

Standard White & Black / Custom
Paint Match

Extras

Prices

Finishes



TriadContactInfo



Triad Speakers, Inc
15835 NE Cameron Blvd
Portland, OR 97230

US Sales 1-800-666-6316
Factory +1-503-256-2600
Fax +1-503-256-5966

www.triadspeakers.com
orders@triadspeakers.com

